NOVEMBER 2019



SIMPLIFYING DISTRIBUTION AUTOMATION IN SUBSTATIONS AND POLE-TOPS









- All-copper compression adapters
- Allows reliable termination of highly stranded flexible copper cable into mechanical lugs
- Used in locomotive, mining, marine, and machinery applications
- Fits into mechanical set-screw type connectors in panels, transformers and machinery
- Features revolutionary Shoo-in[™] barrel-opening design for easy cable insertion
- Fabricated of wrought copper with pin of Class B copper conductor
- Insulating covers are provided

PT-R ReduceЯ™ Cable Reducing Adapters

For Copper Cable Only

- All-copper compression adapters
- Use where cable is oversized to reduce voltage drop on long runs
- Use fit existing C/B, transformer, or other gear lugs
- For Class B 'building wire' cable stranding only
- Fits into mechanical set-screw type connectors in panels, transformers and machinery
- Fabricated of wrought copper barrel with pin of Class B copper conductor
- Insulating covers provided



For Copper

GREAVES www.greaves-usa.com • 1-800-243-1130

ModPLUS

A revolutionary, contemporary flush mount, that is raising the *ring* in lighting.

760-2880 lumens thru Ultra thin white flush mount integrated LED module available in round or square meeting JA8-2016/Title 24 standard 7", 9", 12" and 16" designs. requirements. Color temperature of Multiple versions including The magnetized surface 3000k/90 CRI, dimmable motion sensor and emergency allows alternative Chrome or and ETL listed. battery back-up options. Brushed Steel trim rings to quickly snap in place. TOT Emergency Battery Back-up Motion Sensor Square

14410 Myford Road Irvine, CA 92606 Powerful Solutions In Illumination www.accesslighting.com I-800-828-5483 info@accesslighting.com

TEC Contents • November 2019

PG	4
----	---

Simplifying Distribution Automation in Substations and Pole-Tops

PG 16

Ad Index





Vol. 19 Issue 11

PRESIDENT

Glen Hobson 205-441-5591 glen@tipsmag.net

PUBLISHER

Bart Beason 205-624-2180 bart@theelectriccurrent.com

ADMINISTRATIVE DIRECTOR

Steven Hobson steven@tipsmag.net

EDITOR

Brandon Greenhill brandon@cjspublishing.com

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill jacklyn@cjspublishing.com

t Cool! 2 Extend life!



- expert technical assistance
 large inventory
- Iow sound levels

n.e. box 187 ge

energy-efficient motors

transformer

Increase transformer capacity up to 166%!

- one-piece cast aluminum blades
- · galvanized or stainless steel guards



P.O. Box 1568 · Pelham, AL 35124 Phone: 205-441-5591 · Fax: 205-624-2181 www.theelectriccurrent.com info@theelectriccurrent.com

The Electric Current[™] is published eight times a year on a monthly basis by CJS Media. The Electric Current™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Electric Current[™] is distributed to to qualified owners and managers in the electrical industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.



POSTMASTER: Send address changes to CJS Media • P.O. Box 1568 Pelham, AL 35124 PRINTED IN THE USA



Install Peace of Mind!

First there was 4 square... and now the **REVOLUTIONARY** 5 Square[®] Box!!

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square**[®] Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square**® Products!





SIMPLIFYING DISTRIBUTION AUTOMATION IN SUBSTATIONS AND POLE-TOPS

Technological advances in "all-in-one" communication and automation processors allow distribution of information in many protocols while performing sophisticated logic functions and alarm annunciation

Utility substation automation schemes are typically complex, involving a variety of intelligent electronic devices (IEDs), microprocessor-based relays, meters and monitoring devices. The information collected is then sent to communication processors or RTUs, before being passed on to proprietary HMI interfaces, SCADA Master Stations, Energy Management Systems (EMS) and/or enterprise networks.

Within this scheme, the component parts are often cobbled together by utility automation groups from a multitude of competitor options with varying protocols (some proprietary), configuration options, wireless transmission bands and interconnections.

Given that utilities may have hundreds of substations and even more pole-tops to monitor and control remotely, the complexity of distribution automation has traditionally been staggering. Fortunately,





over the past two decades, substation automation has evolved and changed.

"In the past, the design of the substation was a patchwork of many different devices," says Russ Fanning, a P.E. with over a decade experience in the automation group of a large Wisconsin utility. "Once you finally got the patchwork figured out, you could replicate that pattern but when you went to the next substation and you wanted to bring in something new, you were starting from scratch again and trying to patch that new piece in."

Today, Fanning says the focus is on stripping out as much of the complexity associated with substation automation as possible.

Technological advances over the past several years have reduced the need for the same amount of hardware in favor of "all-in-one" communication and automation processor units that can interpret and distribute information in many protocols while performing sophisticated logic functions and alarm annunciation without the need for PLCs and racks of RTUs. These all-in-one devices even eliminate the need for security-risk PCs and proprietary HMI interfaces. can connect to nearly any substation device in its native protocol, perform advanced math and logic, and securely present the source or calculated data to any number of clients in their preferred protocol.

For utilities installing equipment in new greenfield substations, upgrading aging legacy technology, or concerned over support, this is a welcome development.

Interpreting Communications and Protocols Fanning, who was previously employed at a Wisconsin-based utility for 38 years, started his career as protection technician. After getting his engineering degree in 1990, he worked in substation engineering as a protection engineer, then R&D engineer and in 2007 became a principal engineer in the substation automation group.

"In my last 5-6 years at the utility, I was responsible for distribution automation and substation integration, using the Orion Substation Automation Platform to interface with all the IEDs that were inside the substation and at the pole-tops. I integrated pole-top device IEDs into the distribution automation systems when they were enabled with communication capabilities," says Fanning.

Fanning was first introduced to NovaTech – the

TEC Magazine • November 2019

6

The Bright Idea S2 LED Bulb

is the LED solution you've been waiting for

Let's be real. A light bulb isn't just a light bulb... Replace old HID lamps with the new LED S2

From public safety to maintenance needs, this bright, flexible and inexpensive LED Solution reduces headaches across the board.

Simply source the latest in outdoor lighting technology from the best lighting source. And, the most trusted distributor of the Brex Lighting® S2 LED Bulb.

Kelvin Options 3000K 4000K 5000K And more to come





Longevity + Output

50,000 Hours / 4,200 Lumens

Compatibility

Shape + Size of Traditional HID Lamps

Cost + Power Usage

Half the Cost and Energy Use of Typical HID Lamps

Heat

Coolest Operating Temperatures Suitable for Enclosed Luminaries

> Support 5-Year Warranty

Incandescent Equivalent Wattage	300
CFL Equivalent Wattage	85
HID Equivalent Wattage	100
Volts	120-27
Brightness Lumens	4200
Average Rated Hours	50,000
Beam Spread	3302
CRI	>80



877-BREX-LED

www.BREXLIGHTING.com

WE HAVE THE ROPE TO GET THE JOB DONE.

company he now works for – in 2002. NovaTech has more than 30 years as a supplier of automation and engineering solutions for electric utilities and process manufacturing industries. The company's flagship product is the Orion Substation Automation Platform, which performs an expanding array of automation and security applications in electric utility substations with minimal setup and maintenance. Over the years the utility has installed more than 500 Orion units to improve the operations of both old and new substations to date.

According to Fanning, the distribution automation system he installed at the time specifically involved 30 Orion units using NovaTech's unique Distribution Automation algorithm designed to automate the switching of substation breakers and pole-top devices to restore power and/or to avoid power outages and equipment damage.

The challenge at the time was having to work around ways to retrieve the data from the IEDs and other devices, says Fanning. Multiple protocols are often used for distribution automation, including proprietary protocols with custom communication links.

"In a typical substation set-up at the time, there was often different software in each device and I would have to manipulate the data just to be able to share it," says Fanning. "For one system I worked on, I needed a proprietary protocol and software just to communicate to the device."

In most modern substations, microprocessor-based relays involve a proprietary protocol, so the communications processors must be able to retrieve real-time fault event data and records by speaking to the relays in their native protocol.

Another standard protocol is DNP (Distributed Network Protocol), which is often used by SCADA

800-358-767

www.bucrope.com

NEW Sceptalight[™] LED

Introducing the NEW Sceptalight[™] LED light fixture and adapter kit. Sceptalight LEDs offer significant energy savings and can last beyond 50,000 hours without a single need for maintenance. Certified and tested for use in indoor, outdoor, wet locations, wash down and corrosive environments, Sceptalight LEDs are certified to the latest LED light fixture standards and NEMA 4X approved.

STANDARDS

LIGHT FIXTURE (LVPF/LVPE-LED) LIGHT ENGINE (LLED-15) CSA C22.2 250.0 UL 1598 CSA T.I.L. B-79A UL 1598C



RETROFIT OPTION

Sceptalight LEDs can easily retrofit onto existing installations for increased energy savings.

CORROSION RESISTANT

Heat sink is coated with a durable e-coat layer that prevents corrosion.

NEMA 4X AND IP66 RATED

Approved for wet locations, wash down and corrosive environments.

HEAT DISSIPATION

Specially designed heat sink ensures long life and optimum performance for over 50,000 hours.

ENERGY EFFICIENT

1,000 lumens of light output is produced with only 15 Watts of electricity.

DIMMABLE

Lights are dimmable down to 5% for maximum control of the lighting environment.

POLYCARBONATE GLOBE

Impact and weather resistant for tough environments.



Toll Free: 800-265-1815 | kraloyfittings.com

Products are manufactured by IPEX Electrical Inc. and distributed in the United States by Kraloy, a division of Multi Fittings Corp. Kraloy is a registered trademark of Multi Fittings Corp. SceptalightTM is a trademark of IPEX Branding Inc. Master Stations, RTUs, IEDs and also for relays. To promote interoperation of IEDs from different vendors, the IEC 61850 is an international standard defining communication protocols for IEDs. Older IEDs may still use Modbus or other legacy protocols.

"The Orion product is an essential hub for all this data collection, both in collecting and, perhaps,

interpreting or actually taking action. The system could send that off to the control center to change setting, trip a breaker or switch a feeder," says Fanning.

"There is a wealth of information that is being created inside newer IEDs, microprocessor-based relays and meters that, until recently, has been left behind because it was too challenging to collect

> and distribute it," adds Fanning. "Today you can drill down into those IEDs from a remote location using a secure connection."

Reducing the driving time to remote sites was one of the biggest drivers in automating the substations, as well. The utility headquarters, and his home, were a 2 to 3-hour drive to some substations.

"With the Orion, I could access the IEDs in the substation and get a clear picture of what was happening," says Fanning. "Knowing what the situation was, I could drive there knowing what I had to do or I could delegate that work to someone in the area – depending on what it was."

Today, open-source web-based SCADA and HMI solutions eliminate the need for a substation PC and its inherent software and cybersecurity concerns, at a fraction of the cost.

In this approach, engineers can build interactive screens accessible from standard web browsers. For example, a browser can be



We've Got You Covered

SAVE Time & Money with Kwikon ENT & Fittings compared to traditional EMT

Kwikon Electrical Nonmetallic Tubing (ENT), fittings, slab boxes and accessories are designed to work together and provide the most robust concrete-tight ENT system on the market.





KWIKON ENT

- Color-coded stripes for easy cable identification
- Available in coils, 10' sticks, and reels
- Lightweight and flexible for easy install that reduces labor by up to 50%

KWIKON FITTINGS

- Six locking tabs for unbreakable connections
 - Concrete-tight, requiring no solvent welding or tape
 - Fire, pull and impact resistant



KWIKON SLAB BOXES

- Boxes are installation ready and concrete-tight
- Approved for support of ceiling fans up to 35 lbs and luminaries up to 50 lbs
- Clear Vue removable cover for marking visibility and prevents slurry or stucco from entering the box



KWIKON FORM STUBBIES

- Eliminate the need to drill to the deck
- Available in the original stubby design, the angled version and the Multi-Link
- Protects the ENT from potential damage during the removal of wood forms



used to view data from connected IEDs and RTUs. The software comes with pre-configured pages for data archiving, sequence of events recording, alarm annunciation, alarms, trending and communications diagnostics. Customized screens could easily be built for one-line diagrams, IED faceplates, and control screens.

As for HMIs, web-based systems provide a direct-to-touchscreen connection out of the box without a PC as an intermediary. Information can also be accessed by Smartphone, which will bring up a substation and graphically show the faceplate of each device with push buttons as if the technicians was physically there.

"The HMI is served up through webpages that are easily constructed with graphic software. It's all integrated in one package, so building an HMI is so much simpler than it used to be," says Fanning. If there is a physical manifestation of the reduction in complexity, Fanning points to the substation. In many substations he worked in there would be racks or cabinets of devices with hundreds of wires and blinking lights.

"Today, substation layout is much cleaner. You can probably eliminate entire writing racks and cabinets – or at least make it much smaller – depending on how you are handling your I/Os to the IEDs," says Fanning.

For more information on NovaTech, visit their website at www.novatechweb.com or call 1-844-668-2832.

www.novatechweb.com





instal commencemental literation

Decorative LED Lighting to Complete Your Next Urban Design Project

Join Us At LIGHTFAIR® International 2019! Philadelphia, PA · May 21-23 · Booth #5319

BrandonIndustries.com

HERCULOCK

Hercules Industries, U.S.A.

®

Solid Brass Padlocks

Hercules Industries, Inc. brings to you the most complete line of solid brass tumbler pin padlocks.

Our locks serve the needs of utilities, state and local governments, business, and agriculture. Precision crafted out of solid brass, our locks withstand inclement weather conditions, and are available with brass, stainless steel, and heat treated (HT) stainless steel shackles. Locks are available keyed alike or different, masterkeyed, and grand masterkeyed. We also can key our locks to most popular keyways (ie. Master, Corbin, Yale, Best, and others).

We are committed to competitive prices, fast delivery, and top quality.



HERCULES INDUSTRIES, INC. Manufacturer of HERCULOCK Padlocks P.O. Box 197 • Prospect, Ohio 43342 Toll Free: 1-800-345-2590 Fax: (740) 494-2274 WWW.HERCULOCK.com



ENGINEERED, TESTED & CERTIFIED

A Tethered Tool System for Applications Involving Work at Height

LEAVE IT TO THE EXPERTS

Snap-on provides a drop prevention system like no other.

We'll work with you to determine your drop prevention needs... including the tools, attachment points, lanyards, pouches, and holsters, that combine to create a turnkey solution that enables your workers to do just that...WORK.

SAVE TIME AND MONEY

Engineered attached points don't interfere with the functionality of the tools, and are more durable than simple "add-ons" that require frequent maintenance or replacement.

BEAT THE STATISTICS

About 70% of drops happen during the exchange of the lanyard from one tool to another. The Snap-on Tools@Height system features independent tethering, which means each tool is attached to its own lanyard. Minimizing exchanges reduces the likelihood of drops and increases safety.

MINIMIZE RISK

Independent tethering also allows the tool to be removed

from and returned to its holster or pouch using just one hand. Safety is improved by allowing the user to maintain the critical "three points of contact" when working at height.

RETAIN CONTROL

Our modular approach means you can configure the tools/holsters based on a user's personal preference, while providing a system that meets your safety standards.

See what the most comprehensive tool drop prevention solution in the industry can do for your team's safety and productivity by contacting:

3

Bob Schnuck | Power Generation & Utility Market Manager 413-519-3380 | robert.a.schnuck@snapon.com



Ad Index

Company	Pg.	Website
Access Lighting	1	www.accesslighting.com
Brandon Industries	13	www.brandonindustries.com
Brex Lighting	7	www.brexlighting.com
Buccaneer Rope	8	www.bucrope.com
Dabmar	5	www.dabmar.com
Emars	16	www.emarsinc.com
Greaves	IFC	www.greaves-usa.com
Griplock	BC	www.griplocksystems.com
Herculock	14	www.herculock.com
Ipex	11	www.ipexna.com
Kraloy	9	www.kraloyfittings.com
Krenz Vent	2	www.krenzvent.com
LEDvance	IBC	www.sylvania.com
Randl Inc	3	www.randl-inc.com
SP Products	12	www.spproducts.com
Warehouse Equipment	10	www.warehouseequipment.com



Bob Put In 9 Hours And 3 Minutes Of Work On Tuesday. Stop Guessing. Start Verifying!

Always Know Who, When and Where with eMars Compliant Client and RFID Be Davis - Bacon Compliant in Minutes • Users Report 85% Savings of Money and Time • Alerts You of 30 Compliance Errors

Ph. 480-595-0466



eMarsinc.com



SYLVANIA Wall Pack Family Light your way to safety and savings

SYLVANIA Wall Pack luminaires, including Slim Wall Pack, Non-cutoff Wall Pack, Cutoff Wall Pack and Small Wall Pack, are environmentally preferable LED alternatives to conventional HID or incandescent luminaires. Offering from 77% to 90% in energy savings and available in several wattages/lumen packages, SYLVANIA Wall Packs are ideal for building exteriors, outdoor corridors, walkways and stairwells. All backed by a 5-Year Warranty.







OUALITY PRICE THE PERFECT BALANCE

Hundreds of Suspension Options

GRIP

LOCK

YSTEMS

R

Portable Fuse Cutter

Cut & Fuse Aircraft Cable Instantly Portable - Affordable - Easy Field Use

www.griplocksystems.com 866-523-4490