


THE MOST UNIQUE AND RELIABLE RESOURCE FOR TODAY'S ELECTRICAL CONTRACTOR

THE ELECTRIC CURRENT

Ensuring Mission Critical Data Center Reliability with Aspirating Fire Detection



First there was 4 square...
and now the **REVOLUTIONARY 5 Square® Box!!**

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square® Boxes** (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.


Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square® Products!**

Fire Signal



- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED


Telecommunications



- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES

The Bright Idea S2 LED Bulb

is the LED solution you've been waiting for



Let's be real. A light bulb isn't just a light bulb...

Replace old HID lamps with the new LED S2

From public safety to maintenance needs, this bright, flexible and inexpensive LED Solution reduces headaches across the board.

Simply source the latest in outdoor lighting technology from the best lighting source. And, the most trusted distributor of the Brex Lighting® S2 LED Bulb.

Kelvin Options

3000K

4000K

5000K

And more to come

Longevity + Output

50,000 Hours / 4,200 Lumens

Compatibility

Shape + Size of Traditional HID Lamps

Cost + Power Usage

Half the Cost and Energy Use of Typical HID Lamps

Heat

Coollest Operating Temperatures Suitable for Enclosed Luminaries

Support

5-Year Warranty

<i>Incandescent Equivalent Wattage</i>	<i>....</i>	<i>300</i>
<i>CFL Equivalent Wattage</i>	<i>.....</i>	<i>85</i>
<i>HID Equivalent Wattage</i>	<i>.....</i>	<i>100</i>
<i>Volts</i>	<i>.....</i>	<i>120-277</i>
<i>Brightness Lumens</i>	<i>.....</i>	<i>4200</i>
<i>Average Rated Hours</i>	<i>.....</i>	<i>50,000</i>
<i>Beam Spread</i>	<i>.....</i>	<i>330°</i>
<i>CRI</i>	<i>.....</i>	<i>>80</i>

BREX
LIGHTING
LIGHTING SOLUTIONS. SIMPLIFIED

32W



877-BREX-LED

www.BREXLIGHTING.com

PG 4 | Ensuring Mission Critical Data Center Reliability with Aspirating Fire Detection

PG 16 | Ad Index



Pg 4

Vol. 19 Issue 12

PRESIDENT

Glen Hobson
205-441-5591
glen@tipsmag.net

PUBLISHER

Bart Beason
205-699-5495
bart@theelectriccurrent.com

ADMINISTRATIVE DIRECTOR

Steven Hobson
steven@tipsmag.net

EDITOR

Brandon Greenhill
brandon@cjspanishing.com

CREATIVE/ WEB DIRECTOR



Jacklyn Greenhill
jacklyn@cjspanishing.com

Get Cool!

Extend transformer life!

Increase transformer capacity up to 166%!

- expert technical assistance
- large inventory
- low sound levels
- one-piece cast aluminum blades
- energy-efficient motors
- galvanized or stainless steel guards

KRENZ-VENT
quality engineered, performance tested

p.o. box 187 germantown, wisconsin 53022 262.255.2310 www.krenzvent.com

P.O. Box 1568 • Pelham, AL 35124
Phone: 205-441-5591 • Fax: 205-624-2181
www.theelectriccurrent.com
info@theelectriccurrent.com

The Electric Current™ is published eight times a year on a monthly basis by CJS Media. *The Electric Current*™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Electric Current™ is distributed to qualified owners and managers in the electrical industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.



POSTMASTER: Send address changes to
CJS Media • P.O. Box 1568
Pelham, AL 35124
PRINTED IN THE USA



Check out features that are out of this world! SYLVANIA ValueLED™ UFO High Bay

An environmentally preferable alternative to traditional luminaires and offering up to 78% energy savings, the ValueLED UFO High Bay is ideal for illuminating warehouses, gymnasiums, and other industrial applications.

SYLVANIA.COM





Ensuring Mission Critical Data Center Reliability with Aspirating Fire Detection

With fire a leading cause of serious disruption, aspirating technology can provide very early smoke detection as well as streamline testing and maintenance, even in challenging colocation environments

Whether data centers are on-premise for enterprises, colocation (colo) arrangements or hyperscale facilities run by the largest Internet-based companies in the world, ensuring 24/7 reliability and avoiding service disruptions due to fire is essential because of the mission-critical nature of the information and services involved.


Although much of the focus has been on data center cyber security and power utilization effectiveness, fire is the second leading cause of failure (after power issues), according to a 2015 Capitoline survey regarding causes of data centre failures.

Few in the industry publicly admit to data center fires, but they do occur as evidenced by a quick google



BRANDON[®]

I N D U S T R I E S



Decorative LED Lighting to Complete Your Next Urban Design Project

Join Us At LIGHTFAIR[®] International 2019!
Philadelphia, PA · May 21-23 · Booth #5319

BrandonIndustries.com

search of “data center fire.” And the risk of fire hazard is increasing as the industry pursues ever greater power densities (potentially 20 or more kW per rack) in more confined space to maximize available real estate.

When a fire does occur, vital business services that rely on information to generate profits can come to a screeching halt. The downtime can be catastrophically expensive in terms of damage to operations, facilities, reputation, as well as lost data and customers.

“Because data centers are so critical to business operations today and so costly in terms of service disruption and reputational damage when there is downtime, the goal is to detect fires as early as possible at the incipient stage before it becomes a fire fighting exercise,” says Steven Joseph, Director of Market Development - Mission Critical, at Xtralis, a global provider of aspirating fire detection equipment.

However, a dilemma occurs when data center owners try to meet prescriptive fire safety regulations designed to protect human life – and not assets. After all, most data centers are staffed by very few people.

Given the sheer size (which can encompass hundreds of thousands of square feet) and how densely packed with hot, power-intensive electronics these environments can be, the focus needs to be on achieving high-performance 24/7 uptime, along with asset preservation.

On top of this, data center environments are becoming more challenging in terms of smoke detection. This is due to structural and environmental conditions present, such as obstructions, turbulence in a predominantly air-cooled environment, and the need to avoid disruptions during mandated maintenance and testing.

Fortunately, advances in aspirating smoke detection



SP PRODUCTS, INC.
Productivity and value thru ideas
FOR SAFER BETTER FASTER JOBS
We're Proud to be the Electricians' Friend for Over 50 Years!

Transition Fittings
IP13a-13h
PVC SCH 40 & 80 to Rigid Conduit
When Exiting the Concrete Slab



IP15
1 Piece Reaming Bit
PATENT PENDING



IP11
Trapeze Brackets
PATENTED



Original EZUTB - Size 1/2" thru 1 1/2" Conduit or equal size MC Cable.
SAVE OVER 20 MINUTES PER FOOT

End Bell Adapter
IP3a



Smooth edges allow faster trouble free wire pulls. PVC Schedule 40 & 80 Sizes 1/2" thru 6"

QwikDuct
HDPE CUSTOM TEMPLATES
IP1



IP3a
PVC Offset
PATENT PENDING



Eliminates chipping out concrete for easier & faster installation
1/2" thru 6" Conduit
1/2" thru 2" Offset

IP19
4-Conduit Support Block
PATENTED



Support up thru 4 conduits From ONLY 1 ROD!

IP3a
Flat "Big O" Box Support Bracket
PATENT PENDING



Slide left or right over face of studs install with only 1 screw at each end plus enables boxes to be slid left or right to any location between studs.

Conduit & Box Support Plates
Support From Only ONE Rod
Plus Eliminates Conduit Clamps



IP6
4-Way
PATENTED

IP7
8-Way
PATENTED

Plus More Products Constantly Being Invented . . . Please Call With Your Ideas!

SPProducts.com 800-233-8595 info@SPProducts.com

9" Standard with
Brush Steel Ring Insert



ModPLUS

A revolutionary, contemporary flush mount, that is raising the ring in lighting.

7" Standard White



Ultra thin white flush mount available in round or square standard 7", 9", 12" and 16" designs.

Multiple versions including motion sensor and emergency battery back-up options.

Magnetized Magic!



The magnetized surface allows alternative Chrome or Brushed Steel trim rings to quickly snap in place.

7" Chrome Ring Insert



760-2880 lumens thru integrated LED module meeting JA8-2016/Title 24 requirements.

Color temperature of 3000k/90 CRI, dimmable and ETL listed.



Emergency Battery Back-up



Motion Sensor



Square



14410 Myford Road
Irvine, CA 92606

Powerful Solutions In Illumination
www.accesslighting.com

1-800-828-5483
info@accesslighting.com

technology, which has proven itself in data center environments for decades, are not only providing very early warning and greater reliability than traditional options, but also ease testing and maintenance.

The approach, which works by continuously drawing in small samples of air through holes in piping or tubing and tests it at a central unit, can be used to protect critical data center assets with very early

detection even before smoke becomes visible, and prior to flame, in conjunction with performance based systems built to exceed life safety codes.

Data Center Smoke Detection Challenges

“As a result of maximizing server power in the smallest available space, present day data centers often have unusually high heat densities of more than 300 watts per square foot,” says Joseph. He notes that data centers contain ample sources of fuel, such as

plastics, circuit boards, and insulated jacketing of wire – and that mechanical equipment such as HVAC systems with moving parts, fans, bearings or belts can start a fire with the friction generated.

However, the traditional method of mounting spot smoke detectors on ceilings is increasingly insufficient to alert data centers of a fire risk before an outage or serious service disruption is triggered for a number of reasons. One significant reason is that most data centers still typically direct large volumes of air to cool equipment, but this can be problematic for spot detectors that passively wait for smoke to accumulate at their sensing chamber.

“In the beginning stages of a fire, smoke has very little buoyancy because it doesn’t have much heat. Combined with the strong air flow for cooling, it will not have the thermal lift needed to reach the ceiling. Air mixing from cooling also dilutes any smoke accumulation in the space. So, the smoke migrates with the airstream away from the ceiling, where spot detectors are traditionally mounted,” says Joseph.

Material Handling Equipment

Your One Source For All Your Material Handling Needs

- Storage Products (Steel Cabinets, Shelving & Lockers)
- Loading Dock Equipment
- Conveyors
- Pallet Racks
- Mezzanines
- Carts & Trucks
- Containers & Bins
- Safety Equipment
- Drum Handling Equipment
- Hoppers
- Wire Partitions
- Lift Tables
- In-Plant Buildings
- Cranes (Jib & Bridge)
- Hoists & Trolleys



1-800-239-3434



WAREHOUSE EQUIPMENT AND SUPPLY CO.®

116 West Park Drive • P.O. Box 19808
Birmingham, AL 35219

Email: sales@warehouseequipment.com

Web: www.warehouseequipment.com

We've Got You Covered



SAVE Time & Money with Kwikon ENT & Fittings compared to traditional EMT
Kwikon Electrical Nonmetallic Tubing (ENT), fittings, slab boxes and accessories are designed to work together and provide the most robust concrete-tight ENT system on the market.



KWIKON ENT

- Color-coded stripes for easy cable identification
- Available in coils, 10' sticks, and reels
- Lightweight and flexible for easy install that reduces labor by up to 50%



KWIKON FITTINGS

- Six locking tabs for unbreakable connections
- Concrete-tight, requiring no solvent welding or tape
- Fire, pull and impact resistant



KWIKON SLAB BOXES

- Boxes are installation ready and concrete-tight
- Approved for support of ceiling fans up to 35 lbs and luminaries up to 50 lbs
- Clear Vue removable cover for marking visibility and prevents slurry or stucco from entering the box



KWIKON FORM STUBBIES

- Eliminate the need to drill to the deck
- Available in the original stubby design, the angled version and the Multi-Link
- Protects the ENT from potential damage during the removal of wood forms

According to Joseph, structural barriers near the ceiling such as HVAC ducts and fully loaded cable trays can also obstruct smoke from reaching traditional ceiling mounted detectors.

The industry's practice to contain server aisles (which directs air to cool equipment within a designated aisle, rather than cool the entire space) is also complicating traditional spot type smoke detection.

"When traditional smoke detectors are installed within contained hot aisles, the high heat temperatures reached in the hot aisle can in some cases exceed the listed range of traditional smoke detectors, which renders them unsuitable," says Joseph.

Because of these challenges, traditional prescriptive codes and standards that focus on life safety rather than asset protection may not necessarily meet data center business continuity and performance goals.

In traditional prescriptive based designs, building codes usually require specific, measurable design criteria that are meant to govern typical building situations, based on past loss history and standard construction methods. While this works well in most cases, the approach can lack flexibility when data centers have unusual design parameters.

"The problem is that our codes and standards are written to predominantly address life safety, not necessarily asset protection," says Joseph. "But from a data center owner's perspective, asset and business continuity protection is a key goal, because they operate such an expensive technical asset that is so critical to the community relying on their services."

Fortunately, the International Code Council (ICC) accepts alternative, performance-based design that allows for "alternate materials and methods" that offer equivalent or superior fire safety performance. In terms of enhancing fire safety, this often involves scientific calculations and engineering as

well as computer fire modeling. With this approach, a design is considered acceptable if the fire engineering calculations demonstrate that it meets the measurable performance criteria set at the start of the process.

"Many data center owner-operators that rely on a design-build approach to meet the prescriptive life safety requirements are finding out the hard way that they may not get the very early detection and asset protection they require due to structural and environmental constraints," says Joseph. "So, they need to supplement this with a performance-based fire detection system that meets their asset preservation and business continuity objectives."

One way that data center owner-operators are achieving asset protection and business continuity goals is with advanced aspirating smoke detection technology. The technology enables earlier detection and a swift response by detecting very small concentrations of smoke particulate, potentially before smoke becomes visible or a fire begins to flame and burn. Newer generation aspirating technologies are better suited to discriminate against dust, which can help to minimize false alarms.


Because of the design and installation flexibility of the aspirating smoke detection technology, such smoke detection systems can provide detection throughout the data center for the fastest possible response to a developing fire threat.

As an example, Xtralis' VESDA-E VES Aspirating Smoke Detection system can also identify and monitor smoke density by individual sampling pipes that allow a single zone to be divided into four separate sectors. The technology refines the very early warning smoke detection system the company developed in the 1980s, which has been used for the most sensitive applications where early detection of smoke is critical, such as in data centers, cleanrooms, and telecommunication facilities.

When the cable doesn't fit, and you need a solution... **FAST**

GO TO THE GREAVES ADAPTER ZONE!

PT-FX Shoo-Pin™ Compression Adapters



For Copper
Cable Only


- All-copper compression adapters
- Allows reliable termination of highly stranded flexible copper cable into mechanical lugs
- Used in locomotive, mining, marine, and machinery applications
- Fits into mechanical set-screw type connectors in panels, transformers and machinery
- Features revolutionary Shoo-in™ barrel-opening design for easy cable insertion
- Fabricated of wrought copper with pin of Class B copper conductor
- Insulating covers are provided

PT-R ReduceR™ Cable Reducing Adapters



For Copper
Cable Only

- All-copper compression adapters
- Use where cable is oversized to reduce voltage drop on long runs
- Use fit existing C/B, transformer, or other gear lugs
- For Class B 'building wire' cable stranding only
- Fits into mechanical set-screw type connectors in panels, transformers and machinery
- Fabricated of wrought copper barrel with pin of Class B copper conductor
- Insulating covers provided



GREAVES

www.greaves-usa.com ■ 1-800-243-1130



DATA CENTER FIRE SAFETY CONFIGURATION

In case of fire, this capability can be used to quickly distinguish which contained hot aisle(s) is affected in a data center to more accurately target a response; and a similar approach can be used in other areas such as mechanical/electrical spaces. Systems like this also provide several programmable alarm thresholds that enable a swift escalating response, which can help to stop a fire and minimize potential damage before a fire suppression release.

The system is also sophisticated enough to allow for four levels of alarm thresholds across a wide sensitivity range, which can be used to significantly reduce false alarms and allow for escalated investigation and action before fire suppression system deployment.

In sensitive data centers, avoiding unnecessary fire suppression activation is essential to business

continuity since after any deployment the area and systems must be restored to full operation.

Ease of maintenance
Even with these benefits, one of the primary advantages of an aspirating smoke detector system is its ease of maintenance, inspection and servicing.

While spot smoke detectors are relatively easy to install, NFPA regulations mandate annual inspection and testing of each unit for many facilities including data centers. This time-consuming process requires a fire alarm contractor to introduce smoke directly into the detector and verify that it functions as intended. This can require entry into secure, caged colocation areas that can potentially disrupt service during testing.

Furthermore, when smoke detectors are mounted

DABMAR LIGHTING

RGBW LIGHTING



LV325
3 x 4W



LV235-LED
4W

RGBW MR16 LAMP
4 Watt - 12V



LV342-LED
4W



LV314-LED
4W



REMOTE
(Sold Separately)

P-RMT-MR16-LED-4W-MC

FULL TOUCH 4-ZONE GROUP CONTROL

- 2.4 GHz Wireless Transmission
- Adjustable Light Color Mixing
- Dimming
- Full Color Range Change
- 16 Million Adjustable Color Saturation RGB
- Last Setting Memory
- Control within 100ft
- 2 AAA Batteries



DW4751-LED-RGB
12W



DPR38-GL-LED-RGB
12W

RGBW A23 LAMP
12 Watt - 85-265V



DF-LED9402-RGB
4ft - 36 Watt - 120V



DF-LED9408-RGB
8ft - 80 Watt - 120V



LED Controller



For Multi-Color Sign Lights,
(up to 10 for DF-LED9402 or up to 5 for DF-LED9408),
you will need to order: P-RMT-KIT01-RGB

Your Complete Outdoor LED Lighting Source

www.dabmar.com

MAIN WAREHOUSE: 805.604.9090 • fax: 805.604.9050 • 320 Graves Ave. • Oxnard, CA 93030

FLORIDA WAREHOUSE: 941.727.8605 • 5993 28th Street East • Bradenton, FL 34203

WE HAVE THE ROPE TO GET THE JOB DONE.



on ceilings that can be 30 feet high in some data centers, mandatory testing and maintenance can also be a challenge. This can require ladders, special equipment, scaffolding – not to mention giving technicians access to detectors that may be mounted in secured locations.

Aspirating systems, however, do not require testing at each sample hole. Instead, tests can be conducted at the central unit and at benchmark test point, which can be conveniently located at ground level, outside of secure, caged colocation areas.

According to Joseph, hyperscale data center operators are essentially standardizing on aspirating detectors that provide the earliest possible fire detection, along with an ability to quickly identify an affected aisle. This is helping to more reliably maintain mission critical corporate processes on a 24/7 basis in an increasingly complex environment.

Although aspirating detection systems cost more than traditional spot smoke detectors on a one to one basis, they can actually end up costing less than conventional options overall.

“A single aspirating smoke detector could take the place of 80 spot detectors, for example, as well as all the electric wiring, conduit, junction boxes, etc. that are required,” says Joseph. “When total costs, including operational expenditures like testing and maintenance are included, aspirating systems often come out ahead.”

Ultimately, such a cost-effective approach provides earlier fire detection and better protection of multi-million-dollar data center assets, while helping to ensure business continuity.

For more information, contact Xtralis at 175 Bodwell Street, Avon, MA 02322, call: +1 (619) 252-2015; email: rsandler@xtralis.com or visit: www.xtralis.com/vea •



800-358-767

www.bucrope.com



ENGINEERED, TESTED & CERTIFIED

A Tethered Tool System for Applications Involving Work at Height

LEAVE IT TO THE EXPERTS

Snap-on provides a drop prevention system like no other.

We'll work with you to determine your drop prevention needs... including the tools, attachment points, lanyards, pouches, and holsters, that combine to create a turnkey solution that enables your workers to do just that...WORK.

SAVE TIME AND MONEY

Engineered attachment points don't interfere with the functionality of the tools, and are more durable than simple "add-ons" that require frequent maintenance or replacement.

BEAT THE STATISTICS

About 70% of drops happen during the exchange of the lanyard from one tool to another. The Snap-on Tools@Height system features independent tethering, which means each tool is attached to its own lanyard. Minimizing exchanges reduces the likelihood of drops and increases safety.

MINIMIZE RISK

Independent tethering also allows the tool to be removed from and returned to its holster or pouch using just one hand. Safety is improved by allowing the user to maintain the critical "three points of contact" when working at height.

RETAIN CONTROL

Our modular approach means you can configure the tools/holsters based on a user's personal preference, while providing a system that meets your safety standards.

See what the most comprehensive tool drop prevention solution in the industry can do for your team's safety and productivity by contacting:

Bob Schnuck | Power Generation & Utility Market Manager
413-519-3380 | robert.a.schnuck@snapon.com

Snap-on
INDUSTRIAL

Ad Index

Company	Pg.	Website
Access Lighting	7	www.accesslighting.com
Brandon Industries	5	www.brandonindustries.com
Brex Lighting	1	www.brexlighting.com
Buccaneer Rope	14	www.bucrope.com
Dabmar	13	www.dabmar.com
Emars	16	www.emarsinc.com
Greaves	11	www.greaves-usa.com
Griplock	BC	www.griplocksystems.com
Ipex	9	www.ipexna.com
Kraloy	IBC	www.kraloyfittings.com
Krenz Vent	2	www.krenzvent.com
LEDvance	3	www.sylvania.com
Randl Inc	IFC	www.randl-inc.com
SP Products	6	www.spproducts.com
Snap On	15	www.snapon.com
Warehouse Equipment	8	www.warehouseequipment.com

On Site Employee Verification

Bob Put In 9 Hours And 3 Minutes Of Work On Tuesday.
Stop Guessing. Start Verifying!

Always Know Who, When and Where with eMars Compliant Client and RFID
 Be Davis - Bacon Compliant in Minutes • Users Report 85% Savings of Money and Time • Alerts You of 30 Compliance Errors

Ph. 480-595-0466

Compliant Client by eMars

eMarsinc.com

NEW

Sceptalight™ LED

Introducing the NEW Sceptalight™ LED light fixture and adapter kit. Sceptalight LEDs offer significant energy savings and can last beyond 50,000 hours without a single need for maintenance. Certified and tested for use in indoor, outdoor, wet locations, wash down and corrosive environments, Sceptalight LEDs are certified to the latest LED light fixture standards and NEMA 4X approved.

STANDARDS

LIGHT FIXTURE (LVPF/LVPE-LED)	CSA C22.2 250.0	UL 1598
LIGHT ENGINE (LLED-15)	CSA T.I.L. B-79A	UL 1598C



RETROFIT OPTION

Sceptalight LEDs can easily retrofit onto existing installations for increased energy savings.

CORROSION RESISTANT

Heat sink is coated with a durable e-coat layer that prevents corrosion.

NEMA 4X AND IP66 RATED

Approved for wet locations, wash down and corrosive environments.

HEAT DISSIPATION

Specially designed heat sink ensures long life and optimum performance for over 50,000 hours.

ENERGY EFFICIENT

1,000 lumens of light output is produced with only 15 Watts of electricity.

DIMMABLE

Lights are dimmable down to 5% for maximum control of the lighting environment.

POLYCARBONATE GLOBE

Impact and weather resistant for tough environments.

Toll Free: 800-265-1815 | kraloyfittings.com

KRALOY®

Products are manufactured by IPEX Electrical Inc. and distributed in the United States by Kraloy, a division of Multi Fittings Corp. Kraloy is a registered trademark of Multi Fittings Corp. Sceptalight™ is a trademark of IPEX Branding Inc.

Labor-Saving Installation
Tool-Free Adjustability



Track



Industrial



Architectural

QUALITY **PRICE**
THE PERFECT BALANCE

Hundreds of
Suspension Options



NEW!

**Portable
Fuse Cutter**

Cut & Fuse Aircraft Cable Instantly
Portable - Affordable - Easy Field Use

**GRIP
LOCK**
SYSTEMS

www.griplocksistemas.com

866-523-4490