

January 2020

THE MOST UNIQUE AND RELIABLE RESOURCE FOR TODAY'S ELECTRICAL CONTRACTOR

THE ELECTRIC CURRENT



Klein Tools'® New Insulation
Resistance Tester Gives
Electricians a More
Efficient Way to
Measure



BRANDON[®]

I N D U S T R I E S




Decorative LED Lighting to Complete Your Next Urban Design Project

Join Us At LIGHTFAIR[®] International 2019!
Philadelphia, PA · May 21-23 · Booth #5319

BrandonIndustries.com

The Bright Idea S2 LED Bulb

is the LED solution you've been waiting for



Let's be real. A light bulb isn't just a light bulb...

Replace old HID lamps with the new LED S2

From public safety to maintenance needs, this bright, flexible and inexpensive LED Solution reduces headaches across the board.

Simply source the latest in outdoor lighting technology from the best lighting source. And, the most trusted distributor of the Brex Lighting® S2 LED Bulb.

Kelvin Options

3000K

4000K

5000K

And more to come

Longevity + Output

50,000 Hours / 4,200 Lumens

Compatibility

Shape + Size of Traditional HID Lamps

Cost + Power Usage

Half the Cost and Energy Use of Typical HID Lamps

Heat

Coollest Operating Temperatures Suitable for Enclosed Luminaries

Support

5-Year Warranty

<i>Incandescent Equivalent Wattage</i>	<i>.... 300</i>
<i>CFL Equivalent Wattage</i>	<i>..... 85</i>
<i>HID Equivalent Wattage</i>	<i>..... 100</i>
<i>Volts</i>	<i>..... 120-277</i>
<i>Brightness Lumens</i>	<i>..... 4200</i>
<i>Average Rated Hours</i>	<i>..... 50,000</i>
<i>Beam Spread</i>	<i>..... 330°</i>
<i>CRI</i>	<i>..... >80</i>

BREX
LIGHTING
LIGHTING SOLUTIONS. SIMPLIFIED

32W



877-BREX-LED

www.BREXLIGHTING.com

PG 4 Klein Tools® New Insulation Resistance Tester Gives Electricians a More Efficient Way to Measure

PG 8 BURNDY® Announces the Release of the PATRIOT® PAT750T3 Battery Crimper Series with T3 Technology

PG 10 Ensuring Mission Critical Data Center Reliability with Aspirating Fire Detection

PG 16 Ad Index



Vol. 20 Issue 1

PRESIDENT

Glen Hobson
205-441-5591
glen@tipsmag.net

PUBLISHER

Bart Beason
205-699-5495
bart@theelectriccurrent.com

ADMINISTRATIVE DIRECTOR

Steven Hobson
steven@tipsmag.net


EDITOR

Brandon Greenhill
brandon@cjspanishing.com

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill
jacklyn@cjspanishing.com


Get Cool!



Extend transformer life!

Increase transformer capacity up to 166%!

- expert technical assistance
- large inventory
- low sound levels
- one-piece cast aluminum blades
- energy-efficient motors
- galvanized or stainless steel guards



p.o. box 187 germantown, wisconsin 53022

262.255.2310

www.krenzvent.com

P.O. Box 1568 • Pelham, AL 35124
Phone: 205-441-5591 • Fax: 205-624-2181
www.theelectriccurrent.com
info@theelectriccurrent.com

The Electric Current™ is published eight times a year on a monthly basis by CJS Media. *The Electric Current™* is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Electric Current™ is distributed to qualified owners and managers in the electrical industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.



POSTMASTER: Send address changes to
CJS Media • P.O. Box 1568
Pelham, AL 35124
PRINTED IN THE USA

First there was 4 square...
and now the **REVOLUTIONARY 5 Square® Box!!**

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square®** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.


Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square®** Products!

Fire Signal



- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED

Telecommunications



- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES



KLEIN TOOLS
KLEIN TOOLS ET600

2534
M
DC 1073V

ZERO MAX MIN HOLD
CONTINUOUS LOCK

4000MΩ



Klein Tools'® New Insulation Resistance Tester Gives Electricians a More Efficient Way to Measure

Klein Tools, for professionals since 1857, introduces the ET600 Insulation Resistance Tester, perfect for electricians and maintenance professionals that install, troubleshoot and maintain electrical wiring and equipment. This versatile tester features voltage test ranges from 125V to 1000V, plus a convenient lock feature for hands-free insulation testing.

Insulation Resistance Tester (Cat. No. ET600) · Test insulation resistance up to 4000M Ω at 125V, 250V, 500V, and 1000V DC · Measures up to 1000V AC/DC, low resistance, and continuity · Automatic ranging True Root Mean Square (TRMS) technology for increased accuracy · Test verification of conformity to EN61557-1, -2, -4 · CAT IV 600V and CAT III 1000V safety rating · Test and Lock buttons for simple insulation testing · Warning alarm and high voltage icon for detection of voltage · Backlit display with bar graph, APO, High Voltage, Max/Min, and Hold icons · Built-in stand and optional magnetic holder for hands free operation · Includes both Right Angle Test Leads and Heavy-Duty Alligator Clip Test Leads · Low battery indicator with easily replaceable battery and fuse

“A resistance tester is essential for professionals to verify that electrical insulation is intact, or if an electrical system is exhibiting leakage current that needs maintenance,” says

Sabrina Kalsi, product manager at Klein Tools. "Our Insulation Resistance Tester is built for testing at installation, during troubleshooting, or at annual maintenance."

For more information, visit www.kleintools.com/new-products or search for #NewKleins on social media.

About Klein Tools

Since 1857 Klein Tools, a family-owned and operated company, has been designing, developing and manufacturing premium-quality, professional-grade hand tools. The majority of Klein tools are manufactured in plants throughout the United States and are the No. 1 choice among professional electricians and other tradespeople. For more information, visit www.kleintools.com.

Klein is a registered trademark of Klein Tools, Inc.

www.kleintools.com/new-products •



Labor-Saving Installation
Tool-Free Adjustability



Track



Industrial



Architectural

QUALITY **PRICE**
THE PERFECT BALANCE

Hundreds of
Suspension Options

Portable Fuse Cutter

Cut & Fuse Aircraft Cable Instantly
Portable - Affordable - Easy Field Use



**GRIP
LOCK**
SYSTEMS

www.griplocksystems.com

866-523-4490

BURNDY® Announces the Release of the PATRIOT® PAT750T3 Battery Crimper Series with T3 Technology



BURNDY®, a leading manufacturer and provider of compression connector solutions to the industrial, energy, construction, telecommunications, petrochemical, data center, and transportation industries, is pleased to announce the release of new PATRIOT® PAT750T3 Battery Crimper Series with T3 Technology.

The new PAT750T3 Series has all the exceptional features of its PATRIOT predecessor, plus a new ergonomic design and state of the art technology. The TRACK TRACE TRANSMIT intelligence feature provides critical crimping information for all projects small and large. Data collected by the PAT750T3 provides users a new level of confidence that their BURNDY crimper is performing to specification and enhances the application of the BURNDY® Engineered System; an undeniable advantage over all competitive tools. This tool is the most versatile on the market, making it the choice of all electrical contractors, large and small.

For more information about the PATRIOT® PAT750T3 Crimper or any of our products, contact our US-based Customer Service Department in Londonderry, New Hampshire at 1-800-346-4175.

About BURNDY®

Headquartered in Manchester, New Hampshire, BURNDY® has over 90 years of dedicated customer support in both service and product. Our customers need to look no further than BURNDY® for all their connector, tool, and accessory needs. BURNDY® is the only manufacturer to have the BURNDY® Engineered System of coordinating dies, connectors and tools. The three elements have been specifically designed to work together and engineered to meet stringent, accepted quality standards allowing the user complete confidence in the integrity of the connection.

For additional information, contact us at 47 East Industrial Park Drive, Manchester, New Hampshire 03109; call Customer Service at 1-800- 346-4175; or visit our website at www.BURNDY.com.

Since 2009, BURNDY® LLC has been a key brand under Hubbell Incorporated. More information can be found at www.Hubbell.com •

DABMAR LIGHTING

RGBW LIGHTING



LV325
3 x 4W



LV235-LED
4W

RGBW MR16 LAMP
4 Watt - 12V



LV342-LED
4W



LV314-LED
4W



REMOTE
(Sold Separately)

P-RMT-MR16-LED-4W-MC

FULL TOUCH 4-ZONE GROUP CONTROL

- 2.4 GHz Wireless Transmission
- Adjustable Light Color Mixing
- Dimming
- Full Color Range Change
- 16 Million Adjustable Color Saturation RGB
- Last Setting Memory
- Control within 100ft
- 2 AAA Batteries



DW4751-LED-RGB
12W

RGBW A23 LAMP
12 Watt - 85-265V



DPR38-GL-LED-RGB
12W



DF-LED9402-RGB
4ft - 36 Watt - 120V



DF-LED9408-RGB
8ft - 80 Watt - 120V



For Multi-Color Sign Lights,
(up to 10 for DF-LED9402 or up to 5 for DF-LED9408),
you will need to order: P-RMT-KIT01-RGB

Your Complete Outdoor LED Lighting Source

www.dabmar.com

MAIN WAREHOUSE: 805.604.9090 • fax: 805.604.9050 • 320 Graves Ave. • Oxnard, CA 93030

FLORIDA WAREHOUSE: 941.727.8605 • 5993 28th Street East • Bradenton, FL 34203



Ensuring Mission Critical Data Center Reliability with Aspirating Fire Detection

With fire a leading cause of serious disruption, aspirating technology can provide very early smoke detection as well as streamline testing and maintenance, even in challenging colocation environments

Whether data centers are on-premise for enterprises, colocation (colo) arrangements or hyperscale facilities run by the largest Internet-based companies in the world, ensuring 24/7 reliability and avoiding service disruptions due to fire is essential because of the mission-critical nature of the information and services involved.

Although much of the focus has been on data center cyber security and power utilization effectiveness, fire is the second leading cause of failure (after power issues), according to a 2015 Capitoline survey regarding causes of data centre failures.

Few in the industry publicly admit to data center fires, but they do occur as evidenced by a quick google search of "data center fire." And the risk of fire hazard is increasing as the industry pursues ever greater power densities (potentially 20 or more kW per rack) in more confined space to maximize available real estate.

When a fire does occur, vital business services that rely on information to generate profits can come to a screeching halt. The downtime can be catastrophically expensive in terms of damage to operations, facilities, reputation, as well as lost data and customers.

“Because data centers are so critical to business operations today and so costly in terms of service disruption and reputational damage when there is downtime, the goal is to detect fires as early as possible at the incipient stage before it becomes a fire fighting exercise,” says Steven Joseph, Director of Market Development - Mission Critical, at Xtralis, a global provider of aspirating fire detection equipment.

However, a dilemma occurs when data center owners try to meet prescriptive fire safety regulations designed to protect human life – and not assets. After all, most data centers are staffed by very few people.

Given the sheer size (which can encompass hundreds of thousands of square feet) and how densely packed with hot, power-intensive electronics these environments can be, the focus needs to be on achieving high-performance 24/7 uptime, along with asset preservation.

On top of this, data center environments are becoming more challenging in terms of smoke detection. This is due to structural and environmental conditions present, such as obstructions, turbulence in a predominantly air-cooled environment, and the need to avoid disruptions during mandated maintenance and testing.

Fortunately, advances in aspirating smoke detection technology, which has proven itself in data center environments for decades, are not only providing very early warning and greater reliability than traditional options, but also ease testing and maintenance.

The approach, which works by continuously drawing in small samples of air through holes in piping or tubing and tests it at a central unit, can be used to protect critical data center assets with very early detection even before smoke becomes visible, and prior to flame, in conjunction with performance based systems built to exceed life safety codes.

Data Center Smoke Detection Challenges

“As a result of maximizing server power in the smallest available space, present day data centers often have unusually high heat densities of more than 300 watts per square foot,” says Joseph. He notes that data centers contain ample sources of fuel, such as plastics, circuit boards, and insulated jacketing of wire – and that mechanical equipment such as HVAC systems with moving parts, fans, bearings or belts can start a fire with the friction generated.

However, the traditional method of mounting spot smoke detectors on ceilings is increasingly insufficient to alert data centers of a fire risk before an outage or serious service disruption is triggered for a number of reasons. One significant reason is that most data centers still typically direct large volumes of air to cool equipment, but this can be problematic for spot detectors that passively wait for smoke to accumulate at their sensing chamber.

“In the beginning stages of a fire, smoke has very little buoyancy because it doesn’t have much heat. Combined with the strong air flow for cooling, it will not have the thermal lift needed to reach the ceiling. Air mixing from cooling also dilutes any smoke accumulation in the space. So, the smoke migrates with the airstream away from the ceiling, where spot detectors are traditionally mounted,” says Joseph.

According to Joseph, structural barriers near the ceiling such as HVAC ducts and fully loaded cable trays can also obstruct smoke from reaching traditional ceiling mounted detectors.

The industry’s practice to contain server aisles (which directs air to cool equipment within a designated aisle, rather than cool the entire space) is also complicating traditional spot type smoke detection.

“When traditional smoke detectors are installed within contained hot aisles, the high heat temperatures reached in the hot aisle can in some cases exceed the listed range of traditional smoke detectors, which renders them unsuitable,” says Joseph.

Because of these challenges, traditional prescriptive codes and standards that focus on life safety rather than asset

protection may not necessarily meet data center business continuity and performance goals.

In traditional prescriptive based designs, building codes usually require specific, measurable design criteria that are meant to govern typical building situations, based on past loss history and standard construction methods. While this works well in most cases, the approach can lack flexibility when data centers have unusual design parameters.

"The problem is that our codes and standards are written

to predominantly address life safety, not necessarily asset protection," says Joseph. "But from a data center owner's perspective, asset and business continuity protection is a key goal, because they operate such an expensive technical asset that is so critical to the community relying on their services."

Fortunately, the International Code Council (ICC) accepts alternative, performance-based design that allows for "alternate materials and methods" that offer equivalent

or superior fire safety performance. In terms of enhancing fire safety, this often involves scientific calculations and engineering as well as computer fire modeling. With this approach, a design is considered acceptable if the fire engineering calculations demonstrate that it meets the measurable performance criteria set at the start of the process.

"Many data center owner-operators that rely on a design-build approach to meet the prescriptive life safety requirements are finding out the hard way that they may not get the very early detection and asset protection they require due to structural and environmental constraints," says Joseph. "So, they need to supplement this with a performance-based fire detection system that meets their asset preservation and business continuity objectives."

One way that data center owner-operators are achieving asset protection and business continuity goals is with advanced aspirating smoke detection technology. The technology enables earlier detection and a swift response by detecting very small concentrations of smoke particulate, potentially before smoke becomes visible or a fire begins to flame and burn. Newer generation aspirating technologies are better suited to discriminate against dust, which can help to minimize false alarms.

Material Handling Equipment

Your One Source For All Your Material Handling Needs

- Storage Products (Steel Cabinets, Shelving & Lockers)
- Loading Dock Equipment
- Conveyors
- Pallet Racks
- Mezzanines
- Carts & Trucks
- Containers & Bins
- Safety Equipment
- Drum Handling Equipment
- Hoppers
- Wire Partitions
- Lift Tables
- In-Plant Buildings
- Cranes (Jib & Bridge)
- Hoists & Trolleys



1-800-239-3434



WAREHOUSE EQUIPMENT AND SUPPLY CO.®

116 West Park Drive • P.O. Box 19808
Birmingham, AL 35219
Email: sales@warehouseequipment.com
Web: www.warehouseequipment.com

Because of the design and installation flexibility of the aspirating smoke detection technology, such smoke detection systems can provide detection throughout the data center for the fastest possible response to a developing fire threat.

As an example, Xtralis' VESDA-E VES Aspirating Smoke Detection system can also identify and monitor smoke density by individual sampling pipes that allow a single zone to be divided into four separate sectors. The technology refines the very early warning smoke detection system the company developed in the 1980s, which has been used for the most sensitive applications where early detection of smoke is critical, such as in data centers, cleanrooms, and telecommunication facilities.

In case of fire, this capability can be used to quickly distinguish which contained hot aisle(s) is affected in a data center to more accurately target a response; and a similar approach can be used in other areas such as mechanical/ electrical spaces. Systems like this also provide several programmable alarm thresholds that enable a swift esca-

lating response, which can help to stop a fire and minimize potential damage before a fire suppression release.

The system is also sophisticated enough to allow for four levels of alarm thresholds across a wide sensitivity range, which can be used to significantly reduce false alarms and allow for escalated investigation and action before fire suppression system deployment.

In sensitive data centers, avoiding unnecessary fire suppression activation is essential to business continuity since after any deployment the area and systems must be restored to full operation.

Ease of maintenance

Even with these benefits, one of the primary advantages of an aspirating smoke detector system is its ease of maintenance, inspection and servicing.

While spot smoke detectors are relatively easy to install, NFPA regulations mandate annual inspection and testing of each unit for many facilities including data centers. This time-consuming process requires a fire alarm contractor



SP PRODUCTS, INC.
Productivity and value thru ideas
FOR SAFER BETTER FASTER JOBS
We're Proud to be the Electricians' Friend for Over 50 Years!

Transition Fittings
IP13a-13h
PVC SCH 40 & 80 to Rigid Conduit
When Exiting the Concrete Slab



IP15
1 Piece Reaming Bit
PATENT PENDING



IP11
Trapeze Brackets
PATENTED



SAVE OVER 20 MINUTES PER FOOT

End Bell Adapter
IP3a



Smooth edges allow faster trouble free wire pulls.
PVC Schedule 40 & 80
Sizes 1/2" thru 6"

QwikDuct
HDPE CUSTOM TEMPLATES
IP1



Eliminates chipping out concrete for easier & faster installation
1/2" thru 6" Conduit
1/2" thru 2" Offset

IP3a
Flat "Big O" Box Support Bracket
PATENT PENDING



Conduit & Box Support Plates
Support From Only ONE Rod
Plus Eliminates Conduit Clamps



IP6
4-Way
PATENTED

IP7
8-Way
PATENTED

IP19
4-Conduit Support Block
PATENTED



Support up thru 4 conduits From ONLY 1 ROD!

No Workers Below Prevents Injuries or Deaths

4,000 PSI Tensile Strength at Break

Over 12X Faster than Spacers & Chairs

Plus More Products Constantly Being Invented . . . Please Call With Your Ideas!

SPProducts.com 800-233-8595 info@SPProducts.com

WE HAVE THE ROPE TO GET THE JOB DONE.



to introduce smoke directly into the detector and verify that it functions as intended. This can require entry into secure, caged colocation areas that can potentially disrupt service during testing.

Furthermore, when smoke detectors are mounted on ceilings that can be 30 feet high in some data centers, mandatory testing and maintenance can also be a challenge. This can require ladders, special equipment, scaffolding – not to mention giving technicians access to detectors that may be mounted in secured locations.

Aspirating systems, however, do not require testing at each sample hole. Instead, tests can be conducted at the central unit and at benchmark test point, which can be conveniently located at ground level, outside of secure, caged colocation areas.

According to Joseph, hyperscale data center operators are essentially standardizing on aspirating detectors that provide the earliest possible fire detection, along with an ability to quickly identify an affected aisle. This is helping to more reliably maintain mission critical corporate processes on a 24/7 basis in an increasingly complex environment.

Although aspirating detection systems cost more than traditional spot smoke detectors on a one to one basis, they can actually end up costing less than conventional options overall.

“A single aspirating smoke detector could take the place of 80 spot detectors, for example, as well as all the electric wiring, conduit, junction boxes, etc. that are required,” says Joseph. “When total costs, including operational expenditures like testing and maintenance are included, aspirating systems often come out ahead.”

Ultimately, such a cost-effective approach provides earlier fire detection and better protection of multi-million-dollar data center assets, while helping to ensure business continuity.

For more information, contact Xtralis at 175 Bodwell Street, Avon, MA 02322, call: +1 (619) 252-2015; email: rsandler@xtralis.com or visit: www.xtralis.com/vea •



800-358-767

www.bucrope.com



ENGINEERED, TESTED & CERTIFIED

A Tethered Tool System for Applications Involving Work at Height

LEAVE IT TO THE EXPERTS

Snap-on provides a drop prevention system like no other. We'll work with you to determine your drop prevention needs... including the tools, attachment points, lanyards, pouches, and holsters, that combine to create a turnkey solution that enables your workers to do just that...WORK.

SAVE TIME AND MONEY

Engineered attachment points don't interfere with the functionality of the tools, and are more durable than simple "add-ons" that require frequent maintenance or replacement.

BEAT THE STATISTICS

About 70% of drops happen during the exchange of the lanyard from one tool to another. The Snap-on Tools@Height system features independent tethering, which means each tool is attached to its own lanyard. Minimizing exchanges reduces the likelihood of drops and increases safety.

MINIMIZE RISK

Independent tethering also allows the tool to be removed from and returned to its holster or pouch using just one hand. Safety is improved by allowing the user to maintain the critical "three points of contact" when working at height.

RETAIN CONTROL

Our modular approach means you can configure the tools/holsters based on a user's personal preference, while providing a system that meets your safety standards.


See what the most comprehensive tool drop prevention solution in the industry can do for your team's safety and productivity by contacting:

Bob Schnuck | Power Generation & Utility Market Manager
413-519-3380 | robert.a.schnuck@snapon.com



Ad Index

Company	Pg.	Website
Brandon Industries	IFC	www.brandonindustries.com
Brex Lighting	1	www.brexlighting.com
Buccaneer Rope	14	www.bucrope.com
Dabmar	9	www.dabmar.com
Emars	16	www.emarsinc.com
Greaves	IBC	www.greaves-usa.com
Griplock	7	www.griplocksyste.ms.com
Krenz Vent	2	www.krenzvent.com
LEDvance	BC	www.sylvania.com
Randl Inc	3	www.randl-inc.com
SP Products	13	www.spproducts.com
Snap On	15	www.snapon.com
Warehouse Equipment	12	www.warehouseequipment.com




On Site Employee Verification

Bob Put In 9 Hours And 3 Minutes Of Work On Tuesday.
Stop Guessing. Start Verifying!


Always Know Who, When and Where with eMars Compliant Client and RFID
Be Davis - Bacon Compliant in Minutes • Users Report 85% Savings of Money and Time • Alerts You of 30 Compliance Errors

Ph. 480-595-0466

 eMarsinc.com

When the cable doesn't fit, and you need a solution... **FAST**

GO TO THE GREAVES ADAPTER ZONE!



For Copper
Cable Only

PT-FX Shoo-Pin™ Compression Adapters


- All-copper compression adapters
- Allows reliable termination of highly stranded flexible copper cable into mechanical lugs
- Used in locomotive, mining, marine, and machinery applications
- Fits into mechanical set-screw type connectors in panels, transformers and machinery
- Features revolutionary Shoo-in™ barrel-opening design for easy cable insertion
- Fabricated of wrought copper with pin of Class B copper conductor
- Insulating covers are provided

PT-R Reducer™ Cable Reducing Adapters



For Copper
Cable Only

- All-copper compression adapters
- Use where cable is oversized to reduce voltage drop on long runs
- Use fit existing C/B, transformer, or other gear lugs
- For Class B 'building wire' cable stranding only
- Fits into mechanical set-screw type connectors in panels, transformers and machinery
- Fabricated of wrought copper barrel with pin of Class B copper conductor
- Insulating covers provided



GREAVES

www.greaves-usa.com ■ 1-800-243-1130



Check out features that are out of this world! SYLVANIA ValueLED™ UFO High Bay

An environmentally preferable alternative to traditional luminaires and offering up to 78% energy savings, the ValueLED UFO High Bay is ideal for illuminating warehouses, gymnasiums, and other industrial applications.

SYLVANIA.COM

