THE MOST UNIQUE AND RELIABLE RESOURCE FOR TODAY'S ELECTRICAL CONTRACTOR

ELECTRIC CURRENT

New from
Larson
Lectronics

DEWALT Debuts 60V MAX* Brushless Cordless 7-In. FLEXVOLT Grinder with Kickback Brake and 20V MAX* XR Brushless 3-In. Cut Off Tool at FABTECH 2021 Confrence

INNOVATIONS

i Tüüle.

Faster Safer Workspace



ALL JACK™

Increase productivity and decrease fatigue using iTOOLco's All Jack^{IM}. Install pipe, lights, cabinets, drywall, temporary dust barriers and much more with this innovative jack designed to lift and support the weight of your workpiece while you anchor it into position.

High ceilings and ladder work are not a problem for this dynamic tool. Reach from 58" to a staggering height of 13'6". The industrial gas shock ensures a snug, stable support that stays in place while you complete the installation. Once your workpiece is secured into place, simply remove the All Jackth by releasing the shock. More powerful than a typical support pole, the All Jack's gas shock can handle your most challenging jobs.



SCAN QR

CORDLESS CANNON 3K™

Speed, Versatility, and performance are all yours with iTOOlco's Cordless Cannon 3K™. This portable 3,000 lb. puller is intuitively designed to handle all of your day-to-day wire pulls.

The built-in capstan switch automatically turns the puller on and off. Simply tug on the rope to start the pull and slack off the rope to shut it down.

Delivers dynamic performance in remote locations or areas where power is not yet available.

The high-capacity rechargeable battery is long-lasting and delivers maximum power.

The Cannon 3K™ will even chew through a medium size run of 4 - 350 in 3" conduit with

4 - 90s 220' long in record time and still have half the battery life for your next pull.

SCAN OR





FOLLOW US:











Making perfect connections has never been simpler. In fact, now it's a

SNAP!

NEW SNAP Connectors from

Greaves. A revolutionary compression connector concept that gets the job done with just a few turns of a standard wrench!

- Time-saving, easy installation
- Superior pull-out strength and conductivity
- No bulky and costly tools and dies





TEC Contents · September 2021

PG 4 DEWALT Debuts 60V MAX* Brushless Cordless 7-In. FLEXVOLT Grinder with Kickback Brake and 20V MAX* XR Brushless 3-In. Cut Off Tool at FABTECH 2021 Confrence


Cut Off Tool at FABIECH 2021 Con

PG 8 New from Larson Electronics

PG 14 Hastings Line Guards Provide Protection

PG 16 Ad Index







Vol. 21 Issue 9

PRESIDENT

Glen Hobson 205-441-5591 glen@handfmedia.net

DIRECTOR OF ADVERTISING

Bart Beason 205-699-5495

bart@theelectriccurrent.com

ADMINISTRATIVE DIRECTOR

Steven Hobson steven@handfmedia.net

EDITOR

Brandon Greenhill brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill jacklyn@handfmedia.net

P.O. Box 1568 · Pelham, AL 35124 Phone: 205-441-5591 · Fax: 205-624-2181 www.theelectriccurrent.com info@theelectriccurrent.com



New Construction Products™ is published twelve times a year on a monthly basis by H & F Media, Inc. New Construction Products™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

New Construction Products™ is distributed to to qualified owners and managers in the construction industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to H & F Media, Inc. P.O. Box 1568 Pelham, AL 35124 PRINTED IN THE USA

Strong ALMAG 535 **Material**

4-Conduit Block Support From Only One Rod



lead Slides into Slot



1/4 inch rod = Cat# TBT25-ST25

1/4 inch rod = Cat# TBT25-ST38

3/8 inch rod = Cat# TBT38-ST25

3/8 inch rod = Cat# TBT38-ST38

Threaded Block for Vertical Rod OR for Vertical Rod

For Vertical Rodm1/4" or 3/8"



Conduits With

1 Support

NON-THREADED BLOCKS


1/4 inch rod = Cat# TBT25-NT-ST25 1/4 inch rod = Cat# TBT25-NT-ST38 3/8 inch rod = Cat# TBT38-NT-ST25

3/8 inch rod = Cat# TBT38-NT-ST38



THREADED BLOCK





SOON

For Vertical Rod 1/4" or 3/8"

4 threaded holes on 4 sides (no slots) Specify bolt size 1/4" or 3/8" required for the conduit clamp PATENTED

FAST & EASY TO INSTALL











Customer must satisfy all codes and owners' specifications.









PATENT PENDING PATENTED










DEWALT Debuts 60V MAX* Brushless Cordless 7-In. FLEXVOLT Grinder with Kickback Brake and 20V MAX* XR Brushless 3-In. Cut Off Tool at FABTECH 2021 Confrence

DEWALT announces the launch of the new 60V MAX* Brushless Cordless 7-In. FLEX-VOLT® Grinder with Kickback Brake™ (DCG440B) and 20V MAX* XR® Brushless 3-In. Cut Off Tool (DCS438) at FABTECH® 2021 Conference. These new product offerings provide professionals the tools they need to get the job done.

Designed to power through heavy-duty grinding jobs with ease, the new 60V MAX* Brushless Cordless 7-In. FLEXVOLT® Grinder with Kickback Brake™ delivers 30 percent more torque than the DCG418 60V MAX* FLEXVOLT® Grinder** and up to 2,300 max watts output. Featuring up to a 7-In. grinding capacity and a no-load speed of 6,500 RPM, the grinder is ideal for wire brushing as well as general grinding and cutting during metal and concrete applications.

Built with user protection top of mind, the grinder is part of the DEWALT PERFORM & PROTECT™ line of tools and features the E-CLUTCH® System as well as a Kickback Brake™. PERFORM & PROTECT™ tools are designed to provide a high level of one or more of the following: control, dust containment or low vibration, without sacrificing performance. The brake brings the wheel to a halt once the trigger is released while the E-CLUTCH® System immediately shuts down the motor when a pinch or stall is detected. The Kickback Brake™ incorporates both of these features, activating in the event that a pinch or stall occurs, engaging the brake at maximum force and shutting the tool down; effectively reducing the force towards the user.

The new 20V MAX* XR® DEWALT Brushless 3-In. Cut Off Tool is designed to cut a variety of materials such as metal, drywall, fiber cement, plastic, tile and stone. With 550 max watts output***, a no-load speed of 20,000 RPM, a 3/8-In. arbor and 0.79-In. max depth of cut, the cut off tool is ready to handle many applications across the trades. The cut off tool has both forward and reverse capability and includes a removeable dust shroud with adjustable shoe and AirLock™ connection allowing for convenient attachment to DEWALT extractors (sold separately). In addition, the unit includes a 7/16-In. arbor adapter ring and three wheels: a Bonded Abrasive Wheel, a Diamond†Multi-Material Wheel and a Diamond† Tile Wheel. Lastly, the unit comes



outfitted with a tool free adjustable guard, onboard wrench storage and LED light.

Both the 60V MAX* Brushless Cordless 7-In. FLEXVOLT® Grinder with Kickback Brake™ and 20V MAX* XR® Brushless 3-In. Cut Off Tool are TOOL CONNECT™ Chip Ready (DCE042 sold separately) and can be tracked virtually on the jobsite via the DEWALT TOOL CONNECT™ Site Manager app. Each comes standard with a three-year limited warranty, one-year free service contract and 90-day money-back guarantee.

The 60V MAX* Brushless Cordless 7-In. Grinder FLEXVOLT® with Kickback Brake™ will be available kitted (DCG440X2) with two 60V MAX* FLEXVOLT® batteries (DCB609) for \$499 MSRP or as a bare tool (DCG440B) for \$259 MSRP. The 20V MAX* XR® Brushless 3-In. Cut Off Tool will be available as a bare tool later this year where DEWALT products are sold. For more information on DEWALT products and solutions, visit DEWALT. com.

*Maximum initial battery voltage (measured without a workload) is 20 and 60 volts. Nominal voltage is 18 and 54.


**DCG440 using DCB609 battery has 30% more torque when compared to DCG418 using DCB609 battery.

***DCS438 tested with DCB203 battery.

†This blade uses manufactured diamonds engineered for cutting.

FABTECH is a registered trademark of the Society of Manufacturing Engineers and Fabricating Manufacturers Association, which has not endorsed or approved these products.

www.DEWALT.com



Unitrex XS™ Max Wear. Unmatched performance in the field and in the boardroom.

Electric line stringing is easier and more economical with Unitrex™. Made with a core of Honeywell Spectra®, it is up to 10 times lighter than steel, while delivering comparable strength. The urethane-coated polyester jacket provides excellent abrasion resistance for great productivity that lasts.

To learn more, visit www.yalecordage.com



New from Larson Electronics

In the past weeks, the corona virus has devastated numerous schools around the country. Some schools have already closed their doors due to local outbreaks, while others are implementing new sanitation protocols to curb infection rates.

Students, as well as faculty members and parents are all prone to getting sick in schools without sanitation measures, such as installing Larson Electronics UV air purifiers in rooms and using UV sanitation carts between classes.

These powerful cleaning devices not only eliminate the corona virus, but are also effective against other types of harmful microbes that cause seasonal allergies and the flu!

Our UV sanitation systems work by targeting viruses and microorganisms directly where they lurk: in the air and on surfaces.

Larson Electronics UV air purifiers (IND-AH series) continuously clean the air from the upper sections of rooms. Suitable

for occupied areas, the units feature UV 254 nm lamps inside an enclosed chamber, which prevents UV exposure.

Next, our UV disinfection carts (IND-CD series) are capable of sanitizing surfaces inside classrooms, eating areas, faculty rooms, hallways and gyms. Equipped with wheels, the units feature 360 degrees of coverage for thorough cleaning.

Sanitation with Larson Electronics UV disinfection systems does not require contact with dirty surfaces or application of liquid cleaners. This makes the cleaning process safer and helps preserve school equipment.

Looking for complete, no-contact sanitation solutions? We have the largest, industry-leading UVC and far UV sanitation catalog in the world. Check out our UVC and far UV sanitation catalogs for more information.





Install Peace of Mind!

First there was 4 square... and now the **REVOLUTIONARY** 5 Square® Box!!

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square**® Products!

Fire Signal





- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED.

Telecommunications





- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES



P: 509.340.0050 • F: 509.340.0051

See our line of telecom & fire signal boxes at: www.RANDL-INC.com

Making Communications & Fire Protection More Reliable & Cost-Effective.

Skid Mount Box

Solar-powered systems consist of many parts – from batteries and charge controllers to converters and fuses.

Housing all of these components in a single, easy-to-access job box is a very effective way to organize, utilize and transport the equipment around remote areas.

Through robust protection from outdoor elements (sunlight, moisture and debris), investing in a heavy-duty solar job box can also save you money in the long term.

Larson Electronics manufactures and designs solar job boxes for industrial, outdoor applications. These units are secured on a skid base for seamless transportation with forklifts and vehicles.

Solar panels can be included on the skid base, as well as a genset for backup power. Models with masts are also available for raising equipment in outdoor locations. This solution is recommended for job sites requiring elevated lighting, security and more.

For added protection in rugged environments, our solar job boxes on skid bases are finished with a durable powder coating. This protects the frame and makes the overall system more resilient in outdoor areas.





With XINSURANCE, You Get...

- > All-In-One Approach
- > Agent Friendly
- > Limits up to \$10MM
- Property & Casualty
- > Professional Liability
- Commercial Auto Liability (available in most states)
- Products Liability
- Exclusions/Gaps in Current Coverage & More

XINSURANCE is powered by Evolution Insurance Brokers, LC ("EIB"), an excess and surplus lines insurance brokerage. XINSURANCE is a DBA of EIB, which is domiciled in and has its principal place of business in Sandy, Utah. This insurance product is offered by an unlicensed surplus lines insurer. The NPN for EIB is 5464658 and CA license number is OH93938.

Ask us about our new coverage option – Communicable Disease Liability

To get your free custom insurance quote for the construction industry,

visit www.xinsurance.com

You can also contact
Logan Fitzgerald directly at
801.304.5562 or
loganf@xinsurance.com





Portable Electrostatic Sprayers

Problem: You need an effective way to sanitize your business facilities thoroughly and quickly, to prevent the spread of the corona virus or other disease-causing microbes.


Initially, you tried wiping down the area at the end of every work day – but the process is extremely time consuming. Getting around bulky machines, equipment, furniture and dividers is no easy task!

Solution: Use the Larson Electronics portable electrostatic sprayer to sanitize buildings and rooms easily, without coming in contact with dirty surfaces.

Why: Portable electrostatic sprayers work by releasing a charged mist into the area. The mist contains sanitizing properties that "wrap" around contaminated surfaces or equipment. Compared to abrasive liquid cleaners, this solution is non-corrosive and can be applied from a safe distance.

Larson Electronics portable electrostatic sprayers are battery powered, allowing individuals to clean hard-to-reach sections of the building. Our cordless unit with a 4.22-gallon tank can cover up to 40 acres per charge (five acres per hour).

Applications: Portable electrostatic sprayers are recommended for industrial facilities, commercial areas, restaurants, offices, schools, public transit areas and more!



Unitrex XS™ Max Wear. Unmatched performance in the field and in the boardroom.

Electric line stringing is easier and more economical with Unitrex™. Made with a core of Honeywell Spectra®, it is up to 10 times lighter than steel, while delivering comparable strength. The urethane-coated polyester jacket provides excellent abrasion resistance for great productivity that lasts.

To learn more, visit www.yalecordage.com



WE HAVE THE ROPE TO GET THE JOB DONE.

Hastings Line Guards Provide Protection



Hastings, a worldwide manufacturer of hot line tools and equipment, understands that every day has the potential to bring the unexpected to lineworkers. That is why Hastings designs every product, including our Line Guards, with safety in mind.

Hastings Line Guards are installed before setting new poles to guard against accidental line contact. They also guard against accidental contacts by personnel working in insulating aerial buckets or on platforms. Manufactured with Hastings' safety yellow polyethylene, our Line Guards are lightweight and easy to clean.

Hastings Line Guards feature a larger I.D. than traditional rubber hoses with an opening of 1.77 inches compared to the average 1.25 inches. They are available in 5- and 6-feet lengths and rated 15 and 25 kV.

Since 1959, Hastings has pioneered design and fabrication of hot line tools to withstand today's toughest field conditions. With a passionate commitment to innovation, Hastings products make the job safer and easier.

Line Guards can be found on page 603 of Hastings' online catalog.

For more information, call (269) 945-9541 or visit **www.hfgp.com** •



Install Peace of Mind!

First there was 4 square... and now the **REVOLUTIONARY** 5 Square® Box!!

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square*** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square**® Products!

Fire Signal





- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED

Telecommunications





- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES



P: 509.340.0050 • F: 509.340.0051

See our line of telecom & fire signal boxes at: www.RANDL-INC.com

Making Communications & Fire Protection More Reliable & Cost-Effective.

Ad Index

Company	Pg.	Website
Buccaneer Rope	14	www.bucrope.com
Conduit Repair	ВС	www.conduitrepair.com
Emars	16	www.emarsinc.com
Greaves	1	www.greaves-usa.com
iToolCo	IFC	www.itoolco.com
Krenz Vent	2	www.krenzvent.com
Randl Inc	9, 15	www.randl-inc.com
SP Products	3, IBC	www.spproducts.com
X Insurance	11	www.xinsurance.com
Yale Cordage	7, 13	www.yalecordage.com







We're Proud to be the Electricians' Friend for Over 50 Years!



Saie

IP3b

Patent Pending

HDPE CUSTOM TEMPLATES In Any Configuration Required





Patent Pending **PVC Offset** Sizes 1/2" thru 6"

Meets Flexible Mandrel Test Requirements



Sizes 1/2" thru 6" Roll assembled conduit into



Assemble Conduit Above Trench-No Workers Below -Prevents Injuries and Deaths. Also Allows Digging a Narrower Trench for Less: Excavation, Concrete, Slurry, Backfill & Shoring.

IP13A-F

Conduit Transition Coupli



PVC Schedule 40 & 80 Transitions in Less Than 5 Minutes







IP14a

PATENT PENDING

IP15

40/80 PVC

c(UL)us **End Bell** PATENT PENDING **Adapter** Schedule

Save Cost on the Rigid Nipple, Tape & Labor Use for Entire Job - Not Just for Repair

PVC/Liquidtite

1 Piece 1/2" thru 6" Schedule 40/80

Plus More Being Invented for **SAFER BETTER FASTER** Jobs . . . Call With Your Ideas!





Step 1: Remove Damaged Conduit



Step 2: Cut Split Duct Conduit to Fit



Step 3: Snap in



Step 4: Attach



Step 5: Finish Job in Record Time

REPAIR CONDUIT IN A SNAP!

- No Tape
- No Plastic Straps,
- No Metallic Straps

NO KIDDING!

Designed especially for power, communications, and fiber optics







"The World Leader In Split Conduit Products"



800-670-1804

fax: 435-673-8724

email: crs@conduitrepair.com

Please Visit Our Website at WWW.CONDUITREPAIR.COM