

INNOVATIONS

i TüüLcü.

Faster Safer Workspace



ALL JACK™

Increase productivity and decrease fatigue using iTOOLco's All Jack™. Install pipe, lights, cabinets, drywall, temporary dust barriers and much more with this innovative jack designed to lift and support the weight of your workpiece while you anchor it into position.

High ceilings and ladder work are not a problem for this dynamic tool. Reach from 58" to a staggering height of 13'6". The industrial gas shock ensures a snug, stable support that stays in place while you complete the installation. Once your workpiece is secured into place, simply remove the All Jackth by releasing the shock. More powerful than a typical support pole, the All Jack's gas shock can handle your most challenging jobs.



SCAN QR

CORDLESS CANNON 3K™

Speed, Versatility, and performance are all yours with iTOOLco's Cordless Cannon 3K™. This portable 3,000 lb. puller is intuitively designed to handle all of your day-to-day wire pulls.

The built-in capstan switch automatically turns the puller on and off. Simply tug on the rope to start the pull and slack off the rope to shut it down.

Delivers dynamic performance in remote locations or areas where power is not yet available.

The high-capacity rechargeable battery is long-lasting and delivers maximum power.

The Cannon 3K™ will even chew through a medium size run of 4 - 350 in 3" conduit with

4 - 90s 220' long in record time and still have half the battery life for your next pull.

SCAN OR





FOLLOW US:













Step 1: Remove Damaged Conduit



Step 2: Cut Split Duct Conduit to Fit



Step 3: Snap in



Step 4: Attach



Step 5: Finish Job in Record Time

REPAIR CONDUITIN A SNAP!

- No Tape
- No Plastic Straps,
- No Metallic Straps

NO KIDDING!

Designed especially for power, communications, and fiber optics







"The World Leader In Split Conduit Products"



800-670-1804

fax: 435-673-8724

email: crs@conduitrepair.com

Please Visit Our Website at WWW.CONDUITREPAIR.COM


TEC Contents · December 2021


PG 4

Taking a Phased Approach Makes RTU and SCADA System Upgrades Seamless and Cost-Effective

PG 16

Ad Index







Vol. 21 Issue 12

PRESIDENT

Glen Hobson 205-441-5591 glen@handfmedia.net

DIRECTOR OF ADVERTISING

Bart Beason 205-699-5495

bart@theelectriccurrent.com

ADMINISTRATIVE DIRECTOR

Steven Hobson steven@handfmedia.net

EDITOR

Brandon Greenhill brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill jacklyn@handfmedia.net

P.O. Box 1568 · Pelham, AL 35124 Phone: 205-441-5591 · Fax: 205-624-2181 www.theelectriccurrent.com info@theelectriccurrent.com



New Construction Products™ is published twelve times a year on a monthly basis by H & F Media, Inc. New Construction Products™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

New Construction Products™ is distributed to to qualified owners and managers in the construction industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to H & F Media, Inc. P.O. Box 1568 Pelham, AL 35124 PRINTED IN THE USA



Install Peace of Mind!

First there was 4 square... and now the **REVOLUTIONARY** 5 Square® Box!!

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square*** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square**® Products!

Fire Signal





- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED

Telecommunications





- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES



P: 509.340.0050 • F: 509.340.0051

See our line of telecom & fire signal boxes at: www.RANDL-INC.com

Making Communications & Fire Protection More Reliable & Cost-Effective.



Taking a Phased Approach Makes RTU and SCADA System Upgrades Seamless and Cost-Effective

Glades Electric Cooperative stages roll-out of new system after a comprehensive evaluation

Utilities that are replacing their aging remote terminal units (RTUs) and SCADA systems are doing so to ensure system reliability, improve usability and enhance future scalability – taking advantage of technology advancements in data connectivity and remote management. But how a utility approaches such a project is critical to ensuring that their system upgrade will be seamless and cost-effective.

Those who adopt a phased approach give themselves an opportunity to thoroughly evaluate the new technology's feature set and assess its compatibility with existing equipment, which is critical for the extended process of transitioning to new technology. It also helps with the integration of new features so that a utility can take full advantage of what their new system offers. Staging the implementation is also a smart capital move as it does not commit project dollars before a thorough evaluation and go-forward implementation plan can be completed.

Glades Electric Cooperative, a 16-substation distribution cooperative that serves the power needs of four counties in Southern Florida with over 2700 miles of power lines and 17,000 meters, recently faced this challenge as they began their process of replacing their RTU and SCADA networks. Despite being installed relatively recently in 2015, the current RTUs were not meeting Glades' reliability requirements.

Strong ALMAG 535 **Material**

4-Conduit Block Support From Only One Rod






3/8" Available Upon Request lead Slides into Slot

THREADED BLOCK

1/4 inch rod = Cat# TBT25-ST25 1/4 inch rod = Cat# TBT25-ST38

3/8 inch rod = Cat# TBT38-ST25

3/8 inch rod = Cat# TBT38-ST38




1 Support

1/4 inch rod = Cat# TBT25-NT-ST38 3/8 inch rod = Cat# TBT38-NT-ST25

3/8 inch rod = Cat# TBT38-NT-ST38







SOON For Vertical Rod 1/4" or 3/8"

4 threaded holes on 4 sides (no slots) Specify bolt size 1/4" or 3/8" required for the conduit clamp

PATENTED

FAST & EASY TO INSTALL











Customer must satisfy all codes and owners' specifications.









PATENT PENDING PATENTED



LABELS APPLY TO PRODUCTS ONLY WHERE SHOWN ABOVE

WE HAVE THE ROPE TO GET THE JOB DONE.

"We were experiencing partial loss of function in one of our substations," said Jose Cordova, Engineering Operations Manager at Glades. "One of the RTUs had four feeders, and there were times they would not respond to commands consistently. We also had a recloser that was not operating properly."

Compounding the issue was virtually non-existent technical support from their vendor despite paying a fixed annual service contract above and beyond the product licensing fees. "We had service tickets that were months old that were never resolved," said Cordova.

A contributing factor to Glades' difficulty in resolving their technical issues quickly was their vendor's use of a proprietary communications system between their RTUs and SCADA.

"The communication between the devices was proprietary technology, and so we were unable to resolve the issues on their own," said Cordova. "When issues arose at a substation, it required us to deploy personnel to sort out issues manually, which eliminates the remote management benefits the system is supposed to deliver."

So when one of Glades' RTUs in a substation failed completely in February 2020, they decided to search for a replacement from a new vendor.

The search for a new system

"We started our search for a replacement by surveying our system and establishing priorities based on what was not working or working less than opti-





We're Proud to be the Electricians' Friend for Over 50 Years!



Saie

IP3b

Patent Pending

HDPE CUSTOM TEMPLATES In Any Configuration Required





Patent Pending **PVC Offset** Sizes 1/2" thru 6"

Meets Flexible Mandrel Test Requirements



Sizes 1/2" thru 6" Roll assembled conduit into



Assemble Conduit Above Trench-No Workers Below -Prevents Injuries and Deaths. Also Allows Digging a Narrower Trench for Less: Excavation, Concrete, Slurry, Backfill & Shoring.

IP13A-F

Conduit Transition Coupli



PVC Schedule 40 & 80 Transitions in Less Than 5 Minutes







IP14a

PATENT PENDING

IP15

40/80 PVC

c(UL)us **End Bell** PATENT PENDING **Adapter** Schedule

Save Cost on the Rigid Nipple, Tape & Labor Use for Entire Job - Not Just for Repair

PVC/Liquidtite

1 Piece 1/2" thru 6" Schedule 40/80

Plus More Being Invented for **SAFER BETTER FASTER** Jobs . . . Call With Your Ideas!



mally," said Cordova.

Glades had three primary goals in mind with their replacement. Given the inconsistencies with their existing system, reliability was foremost in mind. Scalability was also a key criterion. They wanted a system that could grow with their network, which also meant the ability to integrate with peripheral devices at their substations. Finally, the new system needed to be user-friendly.

"Our typical substation has voltage regulators, transformers, and circuit switchers," said Cordova. "We also have voltage regulators, capacitor banks, reclosers, and trip savers downstream. For maximum operability, we need all of these devices integrated into our SCADA system."

Cordova added, "We have a team of nine, and not having to travel to update these devices saves us money, time, and most importantly, improves employee safety. We want to reduce how much time people spend directly interfacing with the equipment at our substations."

Cordova attended a user symposium hosted by a leading substation automation provider, Pennsylvania-based NovaTech Automation, where he was introduced to the company's Orion RTUs and SCADA systems.

"I attended a two-day class that included a demonstration of their system," said Cordova. "I was able to work with some of their equipment and configure it, which was very informative. Having that kind of hands-on experience and access to product informa-

tion enabled us to complete a thorough evaluation.

One of the things we were impressed with was the intuitiveness of the Orion web interface."

A stepwise implementation

Glades approached the replacement of their system in a phased, step-by-step approach beginning with the replacement of a single RTU. The idea was to connect an Orion RTU to their existing SCADA system to evaluate its performance and compatibility before making a more significant investment.

"We took advantage of the Orion RTU's integrated online connectivity to serve up communications more efficiently," said Cordova. "By typing the IP address of the new RTU, we could directly access it through a web browser to see the substation online."

Based on this initial phase, Glades decided to move forward with a second RTU implementation.

About the same time, the second RTU was delivered to the next network location, a transmission station, the existing SCADA top-end failed unexpectedly, causing Glades to lose situational awareness at that location temporarily. Chronic technical support response time issues with the existing vendor-led Glades to decide to upgrade their entire system at this point – 16 substations and their SCADA top-end.

NovaTech addressed the need for situational awareness of the field through the SCADA system configuration. Devices in the substation serve up their own data on a graphic view. A top-end unit in the office governs all these units and allows a single viewpoint

BUCCHIEVERY MACHINE WE BUILD!

Hogg & Davis has been proudly manufacturing utility line equipment for more than half a century.



Our trusted products are part of the fleets and tool cribs of nearly every investor- owned power and communications company in the United States and Beyond.






HOGG & DAVIS, INC.

3800 EAGLE LOOP • ODELL, OR 97044

TEL 541.354.1001 • FAX 541.354.1080

WWW.HOGGDAVIS.COM



of the network without entering the IP address of each substation. To further improve efficiency, NovaTech installed an Orion SCADA server in the Glades' IT room to act as a hub or data concentrator.

Today, Glades is about halfway through their coop wide RTU replacement having installed Orion units at seven of their substations together with a data concentrator. When completed, they will have replaced their RTUs in all 16 substations.

Collaboration for optimal configuration

According to Cordova, the implementation has been very smooth despite executing the upgrade while working under the constraints of the pandemic.

The project scope included product, configuration, assembly services, testing, and site commissioning.

For the project, NovaTech assigned an engineer to build the system from scratch while working closely with Glades' technicians.

"Having an expert involved helps us considerably because it enables us to customize as we build," said Cordova. "This ensures that we have the features we need to make our operations center's life easier."

Cordova adds, "As an example, we have added an overview page that gives us a view of the entire system in one glance, eliminating the need to scroll through multiple screens to see what has happened at any of our 16 substations. If there's an alarm, the overview page shows you exactly what happened and where in a very easy-to-understand layout."

NovaTech is designing a load management page that will help Glades decide which feeders to turn off in a blackout rotation response to a volt electric emergency.

"With the latest advancement in technology, there's so much more that can be automated. Many utilities are under-utilizing their systems simply by not turning on features that could eliminate manual interventions," said Cordova.

"In our case, there was a lot of data that we could have been collecting that we were not," said Cordova. "Bottom-line, we were simply not taking full advantage of what we had. So, this time, with the help of NovaTech, we have configured a much more useful and tailored product that also is much better supported."

A cautionary tale

The lack of customer support that Glades experienced prior to selecting NovaTech resulted in a sub-optimized system configuration that created unnecessary manual work for their staff and increased their exposure to product failures because of the lengthy vendor response times.



The New Standard for Linemen

At Tallman Equipment, our priority is to set the standard in the electric transmission and distribution industry with an all-inclusive approach to serving our customers. Our vision to deliver a trio of quality, convenience, and reliability is driven by listening and adapting to the needs of our customers. As the industry changes, so does Tallman. As a result, Tallman Equipment has become a unique company within our industry offering a full range of professional services including tool sales, product distribution, rentals, and repair. Tallman is already a trusted name in stringing blocks, cable assemblies, fiberglass, and rope products – and we are excited to announce the addition of our new Rubber Goods Testing Lab.

Dur Services Include:

Groundset & Jumperset Manufacturing, Repair & Refurbishing

Transformer Sling Manufacturing & Rope Repair

Battery Power Tool & Equipment Repair

Fiberglass Tool Testing, Repair & Refinishing

Tool & Equipment Rental

Rubber Goods Testing & Refurbishment





www.tallmanequipment.com

Call Toll Free: 877-860-5666 International: 630-860-5666 Compounding the issue was that their vendor was charging a support fee through a service contract in addition to a significant annual product licensing fee. The support fee was charged as a fixed cost whether they serviced the technology or not.

With Glades' new RTU and SCADA system, it is not only better configured to their needs providing more automation support and remote management capabilities, but there is no fixed support fee beyond the licensing cost. Glades pays for service only when they need it.


Stepping towards success

A technology upgrade is a significant project for a utility comprising configuration, assembly services, testing, and site commissioning. It is critical for a utility to take the time to fully assess the compatibility of a new technology with their existing systems, fully exploit new features to reduce manual interventions, and ensure licensing and support fees are to their advantage. Addressing these needs through a phased approach can help ensure an RTU and SCADA system upgrade will be seamless and cost-effective.

For more information about NovaTech Automation and the Orion family of substation automation solutions, visit www.novatechautomation.com or call (913) 451-1880.

www.novatechautomation.com





Unitrex XS™ Max Wear. Unmatched performance in the field and in the boardroom.

Electric line stringing is easier and more economical with Unitrex™. Made with a core of Honeywell Spectra®, it is up to 10 times lighter than steel, while delivering comparable strength. The urethane-coated polyester jacket provides excellent abrasion resistance for great productivity that lasts.

To learn more, visit www.yalecordage.com



Making perfect connections has never been simpler. In fact, now it's a

SNAP!

NEW SNAP Connectors from

Greaves. A revolutionary compression connector concept that gets the job done with just a few turns of a standard wrench!

- Time-saving, easy installation
- Superior pull-out strength and conductivity
- No bulky and costly tools and dies







ST SERIES BY GOLIGHT

- Multiple Unit Selector Function
 -2 units with 1 remote
- Home Position Function
- Fluorescent Remote Buttons
- · New Wireless Technology Benefits
 - Simultaneous Pan + Tilt
 - Multiple users can operate lights in close proximity without interference
- Stainless Steel Mounting Brackets
- Smart Programming Logic
 Quick and simple pairing
- UV and Saltwater Resistant
- 5 Year Limited Warranty

Ad Index

Company	Pg.	Website
Buccaneer Rope	6	www.bucrope.com
Can Do	12	www.candointl.com
Conduit Repair	ВС	www.conduitrepair.com
Emars	16	www.emarsinc.com
GoLight	15	www.golight.com
Greaves	14	www.greaves-usa.com
Hogg Davis	9	www.hoggdavis.com
iToolCo	IFC	www.itoolco.com
Krenz Vent	2	www.krenzvent.com
Randl Inc	3	www.randl-inc.com
SP Products	5, 7	www.spproducts.com
Tallman	11	www.tallmanequipment.com
X Insurance	IBC	www.xinsurance.com
Yale Cordage	13	www.yalecordage.com





With XINSURANCE, You Get...

- > All-In-One Approach
- > Agent Friendly
- > Limits up to \$10MM
- Property & Casualty
- > Professional Liability
- Commercial Auto Liability (available in most states)
- Products Liability
- Exclusions/Gaps in Current Coverage & More

XINSURANCE is powered by Evolution Insurance Brokers, LC ("EIB"), an excess and surplus lines insurance brokerage. XINSURANCE is a DBA of EIB, which is domiciled in and has its principal place of business in Sandy, Utah. This insurance product is offered by an unlicensed surplus lines insurer. The NPN for EIB is 5464658 and CA license number is OH93938.

Ask us about our new coverage option – Communicable Disease Liability

To get your free custom insurance quote for the construction industry,

visit www.xinsurance.com

You can also contact
Logan Fitzgerald directly at
801.304.5562 or
loganf@xinsurance.com






Step 1: Remove Damaged Conduit



Step 2: Cut Split Duct Conduit to Fit



Step 3: Snap in



Step 4: Attach



Step 5: Finish Jol in Record Time

REPAIR CONDUITIN A SNAP!

- No Tape
- No Plastic Straps,
- No Metallic Straps

NO KIDDING!

Designed especially for power, communications, and fiber optics







"The World Leader In Split Conduit Products"



800-670-1804

fax: 435-673-8724

email: crs@conduitrepair.com

Please Visit Our Website at WWW.CONDUITREPAIR.COM