





Maddox is the one-stop shop for your transformer needs

Founded by a team of industry veterans focused exclusively on the transformer and transformer-related needs of industrial and commercial clients.



Sell

Maddox stocks and sells the highest quality transformers from dry types and padmounts to substations.

Repair

With shops on both coasts Maddox inspects, tests, and repairs transformers to ensure that they are in top working condition.

Rent

With thousands of units in stock, Maddox rents out transformers for the temporary power needs of customers across North America.

Purchase

We offer a great price that includes handling all the transportation and environmental issue.

TEC Contents · April 2022

PG 4 Evluma Launches Low-Glare LED Roadway Luminaire

PG 6 A Lightweight, Less Costly Solution for Buried Transmission Lines

PG 10 Klein Tools® Introduces Upgraded Version of Best-Selling Testing Kit

PG 14 HMS presents communication solutions for Battery Energy Storage Systems

PG 20 Milwaukee Tool Creates Power Utility Dedicated AR/FR High Visibility Safety Vests

PG 24 Ad Index







Vol. 22 Issue 4

PRESIDENT

Glen Hobson 205-441-5591 glen@handfmedia.net

ASSOCIATE PUBLISHER

Steven Goodwin 205-624-2181 steve@handfmedia.net

ADMINISTRATIVE DIRECTOR

Steven Hobson steven@handfmedia.net

EDITOR

Brandon Greenhill brandon@handfmedia.net

CREATIVE/ WEB DIRECTOR

Jacklyn Greenhill jacklyn@handfmedia.net

P.O. Box 1568 • Pelham, AL 35124 Phone: 205-441-5591 • Fax: 205-624-2181 www.theelectriccurrent.com info@theelectriccurrent.com



The Electric Current™ is published twelve times a year on a monthly basis by H & F Media, Inc. The Electric Current™ is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices.

The Electric Current™ is distributed to to qualified owners and managers in the electrical industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

POSTMASTER: Send address changes to H & F Media, Inc. P.O. Box 1568 Pelham, AL 35124 PRINTED IN THE USA



Install Peace of Mind!

First there was 4 square... and now the **REVOLUTIONARY** 5 Square® Box!!

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square*** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square**® Products!

Fire Signal





- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED

Telecommunications





- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES



P: 509.340.0050 • F: 509.340.0051

See our line of telecom & fire signal boxes at: www.RANDL-INC.com

Making Communications & Fire Protection More Reliable & Cost-Effective.



Evluma Launches Low-Glare LED Roadway Luminaire

LED lighting manufacturer Evluma announces the launch of a new roadway lighting product Road-MaxTM. The RoadMax series will include three sizes: small, medium and large and a range of wattages designed to replace legacy HID 100w, 250w and 400w cobraheads. The first model in the series, the RoadMax RX1, with wattages ranging from 30W-70W and an estimated output range of 3,000 to 9,000 lumens, is estimated to start shipping at the end of April 2022.

This sleek and stylish luminaire was designed with RP-8-18 roadway requirements in mind. The unique optical design offers a combination of roadway performance and glare control unprecedented in the industry. "RoadMax is an advancement of Evluma's reputation for low-glare, visually-pleasing outdoor lighting," says Taisha Bezzo, National Sales Director. "RoadMax addresses contemporary concerns regarding disability glare and light trespass from roadway lighting while maintaining exceptional pole spacing."

Multiple luminaire configurations for Type II, Type III and Type V, all with zero-uplight (U0), are offered. Additional features such as a field adjustable wattage selector (FAO), light trespass shields and a choice of photocontrol sockets are available. RoadMax can be customized to include Evluma's Photocontrol FailsafeTM, a patented technology that solves photocontrol failures on street and area lights. Compatibility with ConnectLEDTM, Evluma's Bluetooth app for wireless lighting controls, enables dimming and dimming schedules without the need for a network. Evluma's comprehensive 10-year warranty and signature 20kV/10kA surge protection comes standard with every model.

Evluma will be showing the RoadMax at Lightfair, Las Vegas, June 21-23, 2022, Booth #2546. For more information please contact: Cathleen Shattuck cshattuck@evluma.com

Visit: www.evluma.com







LightPoleBase.com

PROTECT TRANSMISSION LINES WITH DIRECT BURIED CONDUIT



A Lightweight, Less Costly Solution for Buried Transmission Lines

Choose Champion Fiberglass® conduit for buried transmission lines to reduce the risk of wildfires and natural disasters and eliminate the risk of imposed blackouts.

After a volatile and destructive 2021 wildfire season, California utilities now have plans to bury thousands of miles of power lines to reduce wildfire risk throughout the state.

From galvanized rigid steel to PVC, there are many types of electrical conduit to choose from for a utility project such as this. But none offer the light weight, easy installation, strength, and durability of fiberglass conduit.

Fiberglass conduit is the wise choice to protect cable in a buried installation because:

- Unlike galvanized rigid steel conduit, fiberglass conduit resists corrosion.
- Unlike PVC SCH 40, SCH 80, and PVC-coated steel, fiberglass conduit is fault-tolerant. With fiberglass conduit, the cable does not melt or weld to the inside of the conduit.
- Champion Fiberglass conduit is UL listed conduit with high dielectric strength

Strong ALMAG 535 Material

4-Conduit Block Support From Only One Rod





lead Slides into Slot



1/4 inch rod = Cat# TBT25-ST25

1/4 inch rod = Cat# TBT25-ST38

3/8 inch rod = Cat# TBT38-ST25

Threaded Block for Vertical Rod OR for Vertical Rod


For Vertical Rodm1/4" or 3/8"

Specify bolt size 1/4" or 3/8" for the conduit clamp

ST=(side thread) 1/4" or 3/8"







Conduits With

1 Support


1/4 inch rod = Cat# TBT25-NT-ST25 1/4 inch rod = Cat# TBT25-NT-ST38 3/8 inch rod = Cat# TBT38-NT-ST25

3/8 inch rod = Cat# TBT38-NT-ST38



THREADED BLOCK





New Block

SOON
For Vertical Rod
1/4" or 3/8"

4 threaded holes on 4 sides (no slots) Specify bolt size 1/4" or 3/8" required for the conduit clamp

PATENTED

FAST & EASY TO INSTALL











Customer must satisfy all codes and owners' specifications.









PATENT PENDING PATENTED



LABELS APPLY TO PRODUCTS ONLY WHERE SHOWN ABOVE

WE HAVE THE ROPE TO GET THE JOB DONE.



BUC BUCCANEER rope company
Providing strength & stability, with a twist.

- Its low coefficient of friction protects cables
- It offers durability that resists pests and rodents
- Its lighter weight and gasketed couplings facilitate ease of installation while lower NECA labor rates translate into a less costly installation.
- Perhaps most importantly, it is available with shorter lead times and lower prices and is not subject to the current PVC shortage.

Even first-time installers comment on the ease of installation of Champion Fiberglass conduit. In fact, one recent customer was able to install three miles of conduit in underground duct banks in one day thanks to gasketed couplings, where no adhesive was necessary to join sections.

Our company has over 30 years of experience guiding contractors and installers through complex projects, and we utilize our team's expertise daily in expediting unique shipping, packing, delivery, and installation requests. Discover how Champion Fiberglass® conduit provides a strong, durable, less costly solution to protect buried infrastructure for the long term.

Discover how Champion Fiberglass conduit provides a solution to the serious public safety and economic fallout caused by natural disasters like wildfires.



Step 1: Remove Damaged Conduit



Step 2: Cut Split Duct Conduit to Fit



Step 3: Snap in



Step 4: Attach



Step 5: Finish Job in Record Time

REPAIR CONDUITIN A SNAP!

- No Tape
- No Plastic Straps,
- No Metallic Straps

NO KIDDING!

Designed especially for power, communications, and fiber optics







"The World Leader In Split Conduit Products"



800-670-1804

fax: 435-673-8724

email: crs@conduitrepair.com

Please Visit Our Website at WWW.CONDUITREPAIR.COM

Klein Tools® Introduces Upgraded Version of Best-Selling Testing Kit

Klein Tools (www.kleintools.com), for professionals since 1857, introduces the Premium Electrical Test Kit, a fresh take on a best-seller with new premium models.

Premium Electrical Test Kit (Cat. No. 69355)

- Refreshed kit that features three new product releases geared towards a variety of electrical testing applications
- Kit includes instructions and all required batteries

Manual-Ranging Digital Multimeter with Right-Angle Test Leads (Cat. No. MM320 – Exclusive to Cat. No. 69355 and Cat. No. MM320KIT)

- Measures up to 600V AC/DC voltages, 10A DC current and 2-ohm resistance
- · Also tests batteries, diodes and continuity
- Features include units displayed on large LCD, data hold, audible continuity, auto power-off and easy access to fuse compartment
- Back of meter contains built-in lead holders, mount for optional magnetic holder and kickstand

Dual Range Non-Contact Voltage Tester with Flashlight (Cat. No. NCVT3P)

- Dual range detection from 12 to 1000V AC or
 70 to 1000V AC
- Broad application with dual ranges for low and standard voltage





With XINSURANCE, You Get...

- > All-In-One Approach
- > Agent Friendly
- > Limits up to \$10MM
- Property & Casualty
- > Professional Liability
- Commercial Auto Liability (available in most states)
- Products Liability
- Exclusions/Gaps in Current Coverage & More

XINSURANCE is powered by Evolution Insurance Brokers, LC ("EIB"), an excess and surplus lines insurance brokerage. XINSURANCE is a DBA of EIB, which is domiciled in and has its principal place of business in Sandy, Utah. This insurance product is offered by an unlicensed surplus lines insurer. The NPN for EIB is 5464658 and CA license number is OH93938.

Ask us about our new coverage option – Communicable Disease Liability

To get your free custom insurance quote for the construction industry,

visit www.xinsurance.com

You can also contact
Logan Fitzgerald directly at
801.304.5562 or
loganf@xinsurance.com




- Bright flashlight may be used independent of voltage detection function\GFCI Receptacle Tester
 with LCD (Cat. No. RT250)
- Large, easy to read LCD display show voltage, faults and GFCI trip time
- Identifies common wiring faults on North American 120V outlets
- Patent pending detection of Open Neutral Open Ground wiring fault

"Refreshing our tool kits gives us the opportunity to ensure trade professionals are getting the latest models of our tools at the best price," says Sabrina Kalsi, product manager at Klein Tools. "The new Premium Electrical Test kit exclusively features the digital multimeter plus two other electrical testers, ensuring professionals have the necessary tools for a variety of electrical testing applications."

For more information, visit www.kleintools.com/new-products or search for #NewKleins on social media.

www.kleintools.com/new-products





The New Standard for Linemen

At Tallman Equipment, our priority is to set the standard in the electric transmission and distribution industry with an all-inclusive approach to serving our customers. Our vision to deliver a trio of quality, convenience, and reliability is driven by listening and adapting to the needs of our customers. As the industry changes, so does Tallman. As a result, Tallman Equipment has become a unique company within our industry offering a full range of professional services including tool sales, product distribution, rentals, and repair. Tallman is already a trusted name in stringing blocks, cable assemblies, fiberglass, and rope products – and we are excited to announce the addition of our new Rubber Goods Testing Lab.

Dur Services Include:

Groundset & Jumperset Manufacturing, Repair & Refurbishing

Transformer Sling Manufacturing & Rope Repair

Battery Power Tool & Equipment Repair

Fiberglass Tool Testing, Repair & Refinishing

Tool & Equipment Rental

Rubber Goods Testing & Refurbishment





www.tallmanequipment.com

Call Toll Free: 877-860-5666 International: 630-860-5666



HMS presents communication solutions for Battery Energy Storage Systems

HMS Networks is now presenting several communication solutions for the rapidly expanding battery market. Battery Energy Storage Systems (BESS) require communication capabilities to connect to batteries and peripheral components, communicate with the power grid, monitor systems remotely and much more.

Battery Energy Storage Systems (BESS) may be one of the keys to solve the energy crisis and make the world more sustainable. Since green energy sources such as wind and solar are not always available, large battery parks can make it possible to store the energy to use when there is less sun or wind.

BESS need to communicate

Battery Energy Storage Systems are made up of battery cells which are combined into battery packs which can then be combined into containers which in turn can make up battery parks the size of sever-

800.557.0098 | golight.com

DURABLE VERSATILE



al football fields. The systems can use new or recycled batteries and combine many different components. However, these large battery parks need a lot of communication capabilities in order to work. HMS now presents a comprehensive package of communication solutions catered for this application area.

Error prevention and networking of CANbased devices

Since the battery market has been spearheaded by the car industry, CAN is



the com-munication standard of choice in many systems. Here, HMS offers an extensive portfolio of communication solutions via the Ixxat brand – for PC connection, networking, line extension, galvanic isolation and more.

In networking, the protection of components is crucial, both from external sources (like lightning strikes) and from system-related issues (AC/DC noise). Device protection is a must to avoid damage.


Networking gateways

Battery Energy Storage Systems often combine a variety of different equipment from different industries within a single application – batteries, BMS, PLCs, fire detection units or air conditioning. To combine different equipment, it is necessary to interconnect various protocols and network standards. CAN, Modbus, BACnet, KNX and other proto-cols can be easily linked via intelligent gateways from HMS, which handle the all-important data exchange while also enabling centralized control.

In addition, these gateways can selectively filter, map and, if necessary, manipulate the data in order to realize the best possible data exchange.

BUCCHIEVERY MACHINE WE BUILD!

Hogg & Davis has been proudly manufacturing utility line equipment for more than half a century.







HOGG & DAVIS, INC.

3800 EAGLE LOOP • ODELL, OR 97044

TEL 541.354.1001 • FAX 541.354.1080

WWW.HOGGDAVIS.COM

Cloud/SCADA connectivity and remote access

Intelligent networking is also required in order to connect to cloud solutions or SCADA systems. This connection can be made by using SG (Smart Grid) gateways from HMS that support both energy and industrial fieldbus protocols, as well as protocols required for cloud connection.

The SG gateways enable centralized control as well as remote access for predictive maintenance, logging or data visualization using the i4SCADA® solution from the HMS-owned company WEBfactory®. The SG gateways also provide robust cybersecurity fea-tures, such as firewall, OpenVPN®, TLS encryption and user management. These pro-tective measures are indispensable to protect against cyber-attacks.

"We see a rapidly growing demand for communication solutions in Battery Energy Storage Systems as society as a whole is turning to more sustainable energy sources such as wind and solar," says Alexander Hess, General Manager at HMS Business Unit Ixxat. "Communication is needed to get BESS systems to work and HMS offers an extensive portfolio of industrial communication solutions to solve the communication issues at hand in these systems."







We're Proud to be the Electricians' Friend for Over 50 Years!



Saie

IP3b

Patent Pending

HDPE CUSTOM TEMPLATES In Any Configuration Required





Patent Pending **PVC Offset** Sizes 1/2" thru 6"

Meets Flexible Mandrel Test Requirements



Sizes 1/2" thru 6" Roll assembled conduit into



Assemble Conduit Above Trench-No Workers Below -Prevents Injuries and Deaths. Also Allows Digging a Narrower Trench for Less: Excavation, Concrete, Slurry, Backfill & Shoring.

IP13A-F

Conduit Transition Coupli



PVC Schedule 40 & 80 Transitions in Less Than 5 Minutes







IP14a

PATENT PENDING

IP15

40/80 PVC

c(UL)us **End Bell** PATENT PENDING **Adapter** Schedule


Save Cost on the Rigid Nipple, Tape & Labor Use for Entire Job - Not Just for Repair

PVC/Liquidtite

1 Piece 1/2" thru 6" Schedule 40/80

Plus More Being Invented for **SAFER BETTER FASTER** Jobs . . . Call With Your Ideas!





Milwaukee Tool Creates Power Utility Dedicated AR/FR High Visibility Safety Vests

Milwaukee Tool adds to their Personal Protective Equipment lineup with new Arc Rated (AR) and Flame Resistant (FR) High Visibility Safety Vests. From the power plant, through transmission and distribution, it is Milwaukee's goal to improve reliability and productivity for linemen by offering solutions that help increase confidence on the job. Milwaukee's new AR/FR High Visibility Safety Vests is the first dedicated offering in Power Utility for Personal Protective Equipment, these vests help keep users safe without slowing them down, providing a breathable and lightweight feel on the jobsite. Available in Category 1 Woven WESTEX® DH by Miliken® DH material and a more breathable Mesh anti-static GLENGUARD® material.

"Arc flashes are brighter and hotter than the sun, and capable of creating arc blast that could send

INNOVATIONS

i T II II L C II.

Faster Safer Workspace



ALL JACK™

Increase productivity and decrease fatigue using iTOOLco's All Jack™. Install pipe, lights, cabinets, drywall, temporary dust barriers and much more with this innovative jack designed to lift and support the weight of your workpiece while you anchor it into position.

High ceilings and ladder work are not a problem for this dynamic tool. Reach from 58" to a staggering height of 13'6". The industrial gas shock ensures a snug, stable support that stays in place while you complete the installation. Once your workpiece is secured into place, simply remove the All Jack™ by releasing the shock. More powerful than a typical support pole, the All Jack's gas shock can handle your most challenging jobs.



SCAN QR

CORDLESS CANNON 3K™

Speed, Versatility, and performance are all yours with iTOOLco's Cordless Cannon 3K™. This portable 3,000 lb. puller is intuitively designed to handle all of your day-to-day wire pulls.

The built-in capstan switch automatically turns the puller on and off. Simply tug on the rope to start the pull and slack off the rope to shut it down.

Delivers dynamic performance in remote locations or areas where power is not yet available.

The high-capacity rechargeable battery is long-lasting and delivers maximum power.

The Cannon 3K™ will even chew through a medium size run of 4 - 350 in 3" conduit with

4 - 90s 220' long in record time and still have half the battery life for your next pull.

SCAN OR





FOLLOW US:











metal debris flying at over 700 miles per hour. NFPA 70E† is the current choosing standard in regards of arc protection to help mitigate the risks of working on energized conductors. Unfortunately, current AR/FR vests help protect users at the expense of functionality and overall comfort," said Zach Richman, Director of Product Marketing for Milwaukee Tool. "Our new AR/FR safety vests offer protection without trading off on overall comfort. Additionally, these vests are designed with storage and functionality users have demanded for years."

The new AR/FR High Visibility Safety Vests are designed with ten pockets, including pen pockets, a chest pocket with closure, and an internal pocket for easy access to essential items while on the job. They feature quick size adjustments for a better fit and durable pass-through slits for fall protection gear. A Breakaway version is available for both vests, designed with five tearaway points located on the shoulders, sides, and front that can break away when caught or snagged and are ANSI compliant.

AR/FR Cat. 1 Class 2 & 3 High Visibility Yellow Mesh Safety Vests

The AR/FR CAT. 1 Class 2 & 3 High Visibility Yellow Mesh Safety Vests are engineered to carry more with breathable protection and are ATSM F1506 certified and rated an ATPV of 4.1cal./cm². These AR/FR GLENGUARD® Mesh are designed for breathable all-day comfort. This material is also anti-static to reduce static buildup. These vests are available in breakaway and non-breakaway options.

AR/FR Cat. 1 Class 2 & 3 High Visibility Yellow Safety Vests

The AR/FR CAT. 1 Class 2 & 3 High Visibility Yellow Safety Vests are engineered to carry more and are ATSM F1506 certified and rated to an ATPV of 5.7 cal./cm². These vests are certified with NFPA 2112 for protection against flash fires and arc flash hazards. AR/FR lightweight WESTEX® DH by Miliken® DH material provides added comfort when wearing the vest. These vests are ANSI compliant. These vests are available in breakaway and non-breakaway options.

Thoughtfully designed for Power Utility, Milwaukee Tool's new safety vests demonstrate the company's focus on creating innovative solutions that won't slow users down, helping them STAY SAFE. STAY PRO-DUCTIVE™. For more information on Milwaukee® Personal Safety or to view the entire line, please visit www.milwaukeetool.com/ppe •

Making perfect connections has never been simpler. In fact, now it's a

SNAP!

NEW SNAP Connectors from

Greaves. A revolutionary compression connector concept that gets the job done with just a few turns of a standard wrench!


- Time-saving, easy installation
- Superior pull-out strength and conductivity
- No bulky and costly tools and dies





Ad Index

Company	Pg.	Website
Buccaneer Rope	8	www.bucrope.com
Can Do	12	www.candointl.com
Conduit Repair	9	www.conduitrepair.com
Emars	24, IBC	www.emarsinc.com
EvLuma	IFC	www.evluma.com
GoLight	15	www.golight.com
Greaves	23	www.greaves-usa.com
Hogg Davis	17	www.hoggdavis.com
iToolCo	21	www.itoolco.com
Krenz Vent	2	www.krenzvent.com
Light Pole Base	5	www.lightpolebase.com
Maddox	1	www.maddoxtransformer.com
Randl Inc	3	www.randl-inc.com
SP Products	7, 19	www.spproducts.com
Tallman	13	www.tallmanequipment.com
X Insurance	11	www.xinsurance.com
Yale Cordage	ВС	www.yalecordage.com



NEW COVID-19 GOVERNMENT REQUIREMENTS

Required Vaccinations for all Federal Workers and for Millions of Contractors that Do Business with the Federal Government




Finds and Notifies You of 31 Possible Davis Bacon Compliance Errors 80% Savings of Time and Money Compared to Manual Payroll Preparation 5 Minute Friday Payroll • Encrypted • Internet based 58,0000 + Construction Company Clients • Avoid Jail Time and Costly Fines

eMarsinc.com 480-595-0466

Stay In Compliance with the Davis-Bacon Act Easily Know When Each Employee was Immunized







Unitrex XS™ Max Wear. Unmatched performance in the field and in the boardroom.

Electric line stringing is easier and more economical with Unitrex™. Made with a core of Honeywell Spectra®, it is up to 10 times lighter than steel, while delivering comparable strength. The urethane-coated polyester jacket provides excellent abrasion resistance for great productivity that lasts.

To learn more, visit www.yalecordage.com

